

**KARAIKAL MUNICIPALITY**

**NOTICE INVITING TENDER**

**FORM - 6**

## NOTICE INVITING TENDER

Name of the work : **IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

Approximate cost put to Tender : **Rs.13,52,409/-**

Earnest Money Deposit : **Rs.27,050/-**

Date of Tender : **14-12-2011**

This tender contains : **72** Sheets only

Time allowed for the work : **6 Months including monsoon period**

1. Name of the contractor :
2. Class of contractor :
3. Date of application of tender :
4. Date of receipt of application :
5. Date of issue of tender :
6. Receipt No. & Date :

Commissioner  
Karaikal Municipality

**KARAIKAL MUNICIPALITY**

**NOTICE INVITING TENDER**

1. Item rate / percentage rate tenders are invited on behalf of the Municipal Council from approved and eligible contractors of CPWD and those of appropriate list of P&T, M.E.S and Puducherry State P.W.D., for the work of **IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

1.1 The work is estimated to cost Rs. **Rs. 13,52,409/-**. This estimate, however, is given merely as a rough guide.

1.2 Tender will be issued to eligible P.W.D. as well as Non P.W.D contractors provided they produce definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar work of magnitude specified below:-

Criteria of eligibility for issue of tender documents

**For the purpose of this clause “Similar works” means the works of IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

2. Agreement shall be drawn with the successful tenderer on prescribed Form No. 7/8, which is available with Karaikal Municipality. The Tenderer shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.

**Note (1) :- above conditions is applicable (i) for CPWD as well as Non CPWD contractors for works estimated to cost above Rs.15 crores (ii) Only for Non CPWD contractors for works estimated to cost upto Rs.15crores.**

**Note (ii):- The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of receipt of applications.**

3. The time allowed for carrying out the work will be **6 Months (including monsoon period)** from the tenth day after the date of written orders to commence the work or from the first date of handing over the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.

4. The site for the work is available.

OR

The site for the work shall be made available in parts as specified below: -

**IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

5. Receipt of applications for issue of forms will be stopped by 4:00 P.M. four / three days before the date fixed for opening of tenders. Issue of tender forms will be stopped three / two days before the date fixed for opening of tenders.

6. Tenders, Which should always be placed in sealed envelope, with the name of work and due date written on the envelopes, will be received by the Commissioner, Karaikal Municipality up to 3.30pm on

**14.12.11** and will be opened by him or his authorised representative in his office on the same day at 4.00pm.

**6(i) Tenders shall be accompanied with Earnest money of Rs. 27,050/- in cash (upto Rs.10000/-) Receipt Treasury Challen/Deposit at call receipt of a scheduled bank /fixed deposit receipt of a scheduled bank/ Demand draft of a scheduled bank issued in favour of The Commissioner, Karaikal Municipality, Karaikal. 50% of earnest money or Rs.20 lakh, whichever is less, will have to be deposited in the shape prescribed above and balance amount of earnest money can be accepted in the form of Bank guarantee issued by a scheduled bank having validity for 6 months or more from the last date of receipt of tenders.**

**6 (ii) The tender and the earnest money shall be placed in separate sealed envelopes, each marked "Tender Schedule" and EMD/Cost of Tender Schedule" respectively. Incase where earnest money in cash is acceptable, the same shall be deposited with the cashier of the Division and the receipt placed in the envelope meant for earnest money. Both the envelopes shall be submitted together in another sealed envelope with the name of work and due date of opening written on envelope, which will be received by the Commissioner, Karaikal Municipality, Karaikal. Upto 3.30 P.M on 14-12-2011 and will be opened by him or his authorized representatives in his office on the same day at 4.00PM. The envelope marked "Tender Schedule" of only those tenderers shall be opened, whose earnest money, placed in the other envelope is found to be in order.**

7. Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen in the Office of the Commissioner, Karaikal Municipality, Karaikal between hours 11:00 a.m. and 4:00 p.m. everyday from Monday to Friday everyday except on Saturdays, Sundays and Public Holidays. Tender documents excluding standard form will be issued from his office during the hours specified above, on payment of the following:-

- (i) Rs.500 + VAT @ 4% in cash as cost of tender and
- (ii) Earnest Money of **Rs.27,050/-** in cash (up to Rs. 10,000/-) receipt Treasury Challan / deposit at Call receipt of a scheduled banks / Fixed Deposit of a scheduled bank / Demand Draft of a scheduled bank issued in favour of the Commissioner,

Karaikal Municipality, Karaikal. When amount of Earnest money is more than Rs.5 lakhs. Part of Earnest Money is acceptable in the form of Bank guarantee also. In such case, minimum 50% of Earnest Money (but not less than Rs.5 lakhs) or Rs.25 lakhs, whichever ever is less, will have to be deposited in shape prescribed above. For balance amount of Earnest Money, Bank guarantee will also be acceptable.

8. The description of the work is as follows: -

**IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

Copies of other drawings and documents pertaining to the works will be open for inspection by the tenderers at the office of the above mentioned officer.

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools and plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc., will be issued to him by the Karaikal Municipality and local conditions and other factors having a bearing on the execution of the work.

8(i) The contractor whose tender accepted, will be required to furnish performance guarantee of 5% (five percent) of the tendered amount within the period specified in Schedule "F". This guarantee shall be in the form of cash (in cash guarantee amount is less than Rs,10,000/-) or Deposit at call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Pay order of any scheduled (in case guarantee amount is less than Rs.1,00,00,000/-) or Govt. Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. **Incase the contractor fails to deposit the said performance Guarantee with in the period indicated in Schedule 'F' including the extended period if any, the Earnest Money Deposited by the contractor shall be forfeited automatically**

**Without any notice to the contractor.**

9. The competent authority on behalf of the Municipal Council does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenders, in any of the prescribed

conditions are not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.

The competent authority also reserves its right to allow to then Central Government public sector enterprises joint venture with CPSE holding 51% equity or more, a purchase preference with reference to the lowest valid price bid where the quoted price is within 10% of such lowest price in a tender other things being equal in case of tenders / quotations whose date of receipt is up to 31.03.04, subject to estimated cost being of Rs. Five crores and above.

The Public enterprises that avail benefit of the purchase preference should be subject to adequate penalties for cost overruns etc.

10. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

11. The competent authority on behalf of the Municipal Council reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

12. The contractor shall not be permitted to tender for works in the Karaikal Municipality, Karaikal (responsible for award and execution of contracts) in which his near relative is posted as Commissioner or as an officer in any capacity, between the grades of Superintending Engineer and Assistant Engineer (both inclusive). He shall, also intimate the names of persons who are working with him in any capacity or are subsequently employed him and who are near relatives to any gazetted officer in the Karaikal Municipality. Any breach of his condition by the contractor would render him liable to be removed from the approved list of contractors of this department.

13. No Engineer of gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of Puducherry is allowed to work as a contractor for a period of two years after his retirement from Government service, without the previous permission of the Government of Puducherry in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of Puducherry as aforesaid before submission of the tender or engagement in the contractor's service.

14. The tender for the works shall remain open for acceptance for a period of Ninety days from the date of opening of tenders/Ninety (90) days from the opening of financial bid (strike out as the case may be). If any tenderer withdraws his tender before the said period or makes any modifications in the terms and conditions of the tender which are not acceptable to department, the Government without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid.

15. This notice inviting tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority, shall within 10 days from the stipulated date of start of the work sign the contract, consisting of ---

- (a) The notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- (b) Standard Form 7/8.

Signature of the Commissioner

.....  
and on behalf of Municipal Council

KARAIKAL MUNICIPALITY  
KARAIKAL

PERCENTAGE RATE TENDER / **ITEM RATE TENDER** AND CONTRACT FOR WORKS

(A) Tender for the work of **IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

To be submitted by 3:30 p.m. on **14-12-2011** to the Commissioner, Karaikal Municipality, Karaikal.

- (i) To be opened in presence of tenderers who may be present at 4:00 p.m. on **14-12-2011** in the Office of the Commissioner, Karaikal Municipality, Karaikal.

Issued to .....

(Contractor)

Signature of Officer issuing the documents.....

Designation.....

Date of issue.....

**TENDER**

I / We have read and examined the notice inviting tender, Schedules A, B, C, D, E and F. Specifications applicable, drawings and designs, general rules and directions, conditions of contract, clauses of contract, special conditions, schedule of rates and other documents and rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Municipal Council within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings, and instructions in writing referred to in Rule – 1 General Rules and Directions and in Clause 11 of the Conditions of Contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for Ninety (90) days from the due date of submission thereof and not make any modifications in its terms and conditions.

A sum of **Rs.27,050/-** (Rupees **TWENTY SEVEN THOUSAND AND FIFTY** only) has been deposited in Cash/Receipt Treasury, Challan /Deposit at call Receipt of a Scheduled Bank/Fixed Deposit receipts of a Scheduled Bank/Demand Draft of a Scheduled bank as earnest money. If I/We fail to furnish the prescribed Performance guarantee/fail to commence the work specified I/We agree that the said Commissioner, Karaikal Municipality, Karaikal or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule 'F' and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clauses 12.2 and 12.3 of the tender form.

I/We hereby declare that I/We shall treat the tender documents, drawings and other records connected with the work as secret/confidential documents and shall not communicate information/ derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to be safety of the State. I/We agree that should I/We fail to commence that work specified in the above memorandum, and amount equal to the amount of the earnest money mentioned in the form of invitation of tender and the performance guarantee shall be absolutely forfeited to the Municipal Council or his successors in office and the same may at the option of competent authority on behalf of the Municipal Council be recovered without prejudice to any other right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.

Dated.....

Signature of Contractor

Postal address:

Witness:

Address:

Occupation:

**PERCENTAGE RATE TENDER FOR CONSTRUCTION WORKS**

I/we hereby tender for the execution for the Municipal Council of the work specified in the underwritten memorandum within the time specified in such memorandum at an amount of Rs.....(Rupees.....) *i.e.*.....percent. Below/Above the rates entered in the schedule 'A' and in accordance in all respects with the specifications, design, drawings and instructions in writing referred to in Rule 1 hereof and in clause 11 of the conditions of the contract and with such material as are provided for, and in all other respects in accordance with such conditions as far as applicable. I/we hereby agree to the percentage mentioned above being deducted from/added to the gross amount of the bills for work done.

*Signature of contractor*

Date:

Postal address:

**ACCEPTANCE**

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me and on behalf of the Municipal Council of India for a sum of Rs.....  
(Rupees.....  
.....)

The letters referred to below shall form part of this contract agreement: -

- (a)
- (b)
- (c)

*For and on behalf of Municipal Council*

Signature.....

Dated.....

Designation.....

**KARAIKAL MUNICIPALITY  
KARAIKAL**

**GENERAL RULES AND DIRECTIONS**

1. All works proposed for execution by contract will be notified in a form of invitation to tender pasted in public places and signed by the officer inviting tender or by publication in newspapers as the case may be.

This form will states the work to be carried out , as well as the date for submitting and opening tenders and the time allowed for carrying out the work , also the amount of earnest money to be deposited with the tender and the amount of the security deposit to be deposited by the successful tenderer and the percentage, if any, to be deducted from the bills. Copies of the specification , designs and drawings and any other documents required in connection with the work signed for the purpose of identification by the officer inviting tender shall also be open for inspection by the contractor at the office inviting tender during office hours.

2. In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or, in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney authorizing him to do so, such power of attorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian partnership act , 1952.

3. Receipts for payments made on account of work, when executed by a firm, must also be signed by all the partners, except where the contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipts for the firm.

4. Any person who submits tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort, including the conditional rebates will be summarily rejected. No single tender shall include more than one work but contractors who wish to tender for two or more works shall submit separate tender for each. Tenders shall have the name and number of the work to which they refer, written on the envelopes.

The rate(s) must be quoted in decimal coinage. Amounts must be quoted in full rupees by ignoring fifty paise and considering more than fifty paise as rupees one.

4A. In case of percentage rate tenders, tender shall fill up the usual printed form, stating at what percentage below/Above (in figure as well as in words) the total estimated cost given in Schedule of Quantities at Schedule 'A' he will be willing to execute the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.

5. The officer inviting tender or of his duly authorized Assistant will open tenders in the presence of any intending contractors who may be present at the time, and will enter the amount of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money forwarded therewith shall thereupon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specifications and other documents mentioned in Rule – 1. In the event of a tender being rejected, the earnest money forwarded with such unaccepted tenderers shall thereupon be returned to the contractor remitting the same, without any interest.

6. The officer inviting tenders shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest or any other tender.

7. The receipt of an Accountant or Clerk for any money paid by the contractor will not be considered as any acknowledgment or payment to the officer inviting tender and the contractor shall be responsible for seeing that he procures a receipt signed by the officer inviting tender or a duly authorized cashier.

8. The memorandum of work tendered for and the schedule of materials to be supplied by Karaikal Municipality and their issue rates shall be filled and completed in the office of the officer inviting tender before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in and incomplete, he shall request the office to have this done before he completes and delivers his tender.

9. The tenderers shall sign a declaration under the Officials Secret Act, 1923 for maintaining secrecy of the tender documents, drawings or other records connected with the work given to them. The unsuccessful tenderers shall return all the drawings given to them.

10. In the case of item rate tenders, only rates quote shall be considered. Any tender containing percentage below/above the rates quoted is liable to be rejected. Rates quoted by the contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the contractor shall unless otherwise proved be taken as correct. If the amount of an item is not worked out by the contractor or it does not correspond with the rates written either in figures or in words then the rates quoted by the contractor in words shall be taken as correct. Where the rates quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the rates quoted by the contractor will unless otherwise proved be taken as correct and not the amount.

10A. In case of Percentage Rates Tenders only percentage quoted be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in Percentage Rate Tender shall be accurately filled in figures and words, so that there is no discrepancy. However, if the contractor has worked out the amount of the tender and if any discrepancy is found in the percentage quoted in works and figures, the percentage which corresponds with the amount worked out by the contractor shall, unless otherwise proved be taken as correct. If the amount of the tender is not worked out by the contractor or it does not correspond with the percentage written either in figures or in words, then the percentage quoted

by the contractor in works shall be taken as correct. Where the percentage quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the percentage quoted by the contractor will, unless otherwise proved, be taken as correct and not the amount.

11. In the case of any tender where unit rate of any item/items appear unrealistic, such tender will be considered as unbalanced and in case the tender is unable to provide satisfactory explanation such a tender is liable to be disqualified and rejected.

12. All rates shall be quoted on the tender form. The amount for each item should worked out and requisite totals given. Special care should be taken to write the rates in figures as well as in words and the amount in figures only, in such a way that interpolation is not possible, the total amount should be written both in figures and in words. In case of figures, the word 'Rs.' should be written before the figure of rupees and word 'P' after the decimal figures, e.g. Rs. 2.15 P and in case of works, the word 'Rupees' should precede and the word 'Paise' should be written at the end. Unless the rates is in whole rupees and followed by the word 'only' it should invariably be up to two decimal places. While quoting the rate in schedule of quantities, the word 'only' should invariably be up to two decimal places. While quoting the rate in schedule of quantities, the word 'only' should be written closely following the amount and it should not be written in the next line.

12A. In Percentage Rate Tender, the tenderer shall quote percentage below/above (in figures as well as in words) at which he will be willing to execute the work. He shall also work out the total amount of his offer and the same should be written in figures as well as in words in such a way that no interpolation is possible. In case of figures, the word 'Rs.' should be written before the figure of rupees and word 'P' after the decimal figures. E.g. Rs. 2.15 P and in case of words, the word 'Rupees' should precede and the word 'Paise' should be written at the end.

13. The contractor shall be required to deposit an amount equal to 5% of the tendered value of the work as performance guarantee in the form of an irrevocable Bank Guarantee bond of any Scheduled Bank or State Bank of India in accordance with the form prescribed or in cash or in the form of Government security fixed deposit receipt etc., as in the case of recovery of security deposit within 15 days of the issue of letter of intent but before award of work. This period can be further extended by the Engineer-in-Charge up to a maximum period of 7 days on written request of the contractor.

13A. A sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum along with sum already deposited as earnest money will amount to security deposit of 5% of the tendered value of the work (bank Guarantee is not to be accepted as security deposit).

13B. The Superintending Engineer/ Executive Engineers of the department on evaluation of tender and if the tender is found that the overall amount quoted is less than 5.00%, then the contractor shall be asked to pay an additional performance guarantee amounting to 50% of the difference between the quoted amount and estimate cost put to tender. Failure to furnish the additional performance guarantee over and above the normal performance guarantee of 5% within 15 days from the date of receipt of acceptance letter, shall entitle cancellation of award and forfeiture of EMD furnished. The contractor shall also furnish an undertaking to the effect that the contractor agrees to pay the additional performance guarantee of specified amount and in case if the contractor is not able to complete the work within the period of completion as mentioned in the agreement, the contractor is agreeable to the forfeiture of entire performance guarantee paid by the contractor.

14. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer-in- Charge shall be communicated in writing to the Engineer-in-Charge.

15. **“This work is covered under Section 78 of Puducherry Value Added Tax Ordinance, 2007 and hence the contractor is liable to pay a VAT at 2.80% of work done”.**

16. The contractor shall give a list of both Gazetted and Non-Gazetted Public Works Department employees related to him.

17. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who; may and has/have tendered for the same work. Failure to observe this condition would render, tenders of the contractors tendering, as well as witnessing the tender, liable to be summarily rejected.

18. The tender for composite work includes in addition to building work, all other works such as sanitary and water supply installations drainage installation, electrical work, horticulture work, roads and paths etc. The tenderer must associate himself with agencies of tender for sanitary and water supply drainage, electrical and horticulture works, if any, in the composite tender.

19. The contractor shall submit list of works, which are in hand (progress) in the following form:

| Name of Work | Name and particulars of Division where is being executed | Value of work | Position of works in progress | Remarks |
|--------------|--|---------------|-------------------------------|---------|
| (1)          | (2)  | (3)           | (4)                           | (5)     |
|              |  |               |                               |         |

20. The contractor shall comply with the provisions of the Apprentices Act, 1961, and the rules and orders issued there under from time to time. If he fails to do so, his failure will be breach of the contractor and the Commissioner may in his discretion without prejudice to any other right or remedy available in law cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

## **SCHEDULES**

### **SCHEDULE ‘A’**

**ANNEXURE - A**

**ABSTRACT OF COST - ORIGINAL ESTIMATE**

**Name of work : Improvements to the Old Municipal Office Building at Karaikal.**

| Sl. No. | Description of items   | Quantity    | Unit                      | Rate In |       | Amount |
|---------|--|-------------|---------------------------|---------|-------|--------|
|         |  |             |                           | Figure  | Words |        |
| 1       | 2  | 3           | 4                         | 5       | 6     | 7      |
| 1       | <b>Code No. 2.8.1</b><br>Earthwork in excavation by mechanical means (Hydraulic excavator )/manual means in foundation trenches or drains (not exceeding 1.5m in width or 10sqm on plan) including dressing of sides and ramming of bottoms lift upto 1.5m including getting out the excavated soil and disposal of surplus excavated soil as directed within a lead of 50m all kinds of soil. | 8.00<br>CUM | 1M3 ONE<br>CUBIC<br>METRE |         |       |        |
| 2       | <b>Code No. 2.27</b><br>Supplying and filling in plinth with river sand under floors including, watering, ramming consolidating and dressing complete.   | 3.00<br>CUM | 1M3 ONE<br>CUBIC<br>METRE |         |       |        |
| 3       | <b>Code No. 4.1.10</b><br>Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All works upto plinth level 1:5:10 (1 cement : 5 sand : 10 graded stone aggregate 40mm nominal size)   | 2.00<br>CUM | 1M3 ONE<br>CUBIC<br>METRE |         |       |        |
| 4       | <b>Code No. 6.1.2</b><br>Brick work with FPS bricks of class designation 35 in foundation and plinth in cement mortar 1:6 ( 1 cement : 6 coarse sand)  | 5.00<br>CUM | 1M3 ONE<br>CUBIC<br>METRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity     | Unit                       | Rate In |       | Amount |
|---------|---|--------------|----------------------------|---------|-------|--------|
|         |   |              |                            | Figure  | Words |        |
| 1       | 2   | 3            | 4                          | 5       | 6     | 7      |
| 5       | <b>Code No. 5.3.1</b><br>Reinforcement cement concrete work in beams, suspended floors, roofs having slope upto 15 degree landings, balconies, shelves, chajjahs, lintels, bands, plain window sills, staircases and spiral cases upto floor five level excluding cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 sand : 3 graded stone aggregate 20 mm nominal size) | 3.00<br>CUM  | 1M3 ONE<br>CUBIC<br>METRE  |         |       |        |
| 6       | <b>Code No. 5.9.5</b><br>Centring and shuttering including strutting, propping etc., and removal form for - Lintels, beams, plinth beams, girders, bressumers and centilevers. Using steel sheet with M.S. Frames   | 8.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 7       | <b>Code No. 5.9.3</b><br>Centring and shuttering including strutting, propping etc., and removal form for - suspended floor, roofs, landings, balconies and access platform. Using steel sheet with M.S. Frames   | 14.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 8       | <b>Code No. 5.22.7</b><br>Reinforcement for RCC work including straightening cutting, bending placing in position and binding all complete - Termo mechanical treated bars (ISI BRAND OF APPROVE DMAKE) including placing the M30 grade Athees make cover block @ 60cm centre to centre.  | 540.00<br>KG | 1KG ONE<br>KILO GRAM       |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items   | Quantity    | Unit                       | Rate In |       | Amount |
|---------|--|-------------|----------------------------|---------|-------|--------|
|         |  |             |                            | Figure  | Words |        |
| 1       | 2  | 3           | 4                          | 5       | 6     | 7      |
| 9       | <b>Code No. 6.1 + 6.4</b><br>Brick work with FPS bricks of class designation 35 in superstructure above plinth level up to floor five level in all shapes and sizes in cement mortar 1:6 ( 1 cement : 6 coarse sand)   | 4.00<br>CUM | 1M3 ONE<br>CUBIC<br>METRE  |         |       |        |
| 10      | <b>Code No. 6.13.2</b><br>Half Brick masonry with FPS bricks of class designation 35 in superstructure above plinth level up to floor v level in cement mortar 1:4 ( 1 cement : 4 coarse sand)   | 7.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 11      | <b>Code No. 5.16</b><br>Providing, hoisting and fixing up to floor five level precast reinforced cement concrete in shelves including setting in cement mortar 1:3 ( 1 cement : 3 coarse sand), cost of required centering, shuttering and finishing with neat cement punning on exposed surfaces but excluding the cost of reinforcement with 1:2:4 ( 1 cement : 2 coarse sand: 4 graded stone aggregate 12.5 mm nominal size). | 1.50<br>CUM | 1M3 ONE<br>CUBIC<br>METRE  |         |       |        |
| 12      | <b>Code No. 9.1.2V</b><br>Providing wood work in frames of doors, windows clerestory windows and other frames wrought framed and fixed in position. Vengai wood.   | 1.30<br>CUM | 1M3 ONE<br>CUBIC<br>METRE  |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items  | Quantity     | Unit                       | Rate In |       | Amount |
|---------|---|--------------|----------------------------|---------|-------|--------|
|         |   |              |                            | Figure  | Words |        |
| 1       | 2   | 3            | 4                          | 5       | 6     | 7      |
| 13      | <b>Code No. 9.5.1.1V</b><br>Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory including ISI marked black enameled M.S. butt hinges with necessary screws excluding panneling which will be paid separatly - Vengai wood - 35m thick shutters.   | 5.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 14      | <b>Code No. 9.5.1.2V</b><br>Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows including ISI marked black enamelled M.S. butt hinges with necessary screws excluding panelling which will be paid for separately Vengai wood 30mm thick shutters.  | 2.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 15      | <b>Code No. 9.7.1V</b><br>Providing and fixing panelling or panelling and glazing in panelled or panalled and glazed shutters for doors, windows and clerestory windows (area of opening for panel inserts excluding portion inside grooves or rebates to be measured ) Pannelling for panelled or panelled and glazed shutters 25mm to 40mm thick. Vengai wood . | 3.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 16      | <b>Code No. 9.53</b><br>Providing 40 x 5 mm flat iron hold fast 40 cm long including fixing to frame with 10 mm diameter bolts nuts and wooded plugs and embedding in cement concrete block 30 x 10 x 15 cm 1:3:6 ( 1 cement : 3 sand : 6 graded stone aggregate 20mm nominal size).  | 12.00<br>NOs | 1NO ONE<br>NUMBER          |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity     | Unit                 | Rate In |       | Amount |
|---------|---|--------------|----------------------|---------|-------|--------|
|         |   |              |                      | Figure  | Words |        |
| 1       | 2   | 3            | 4                    | 5       | 6     | 7      |
| 17      | <b>Code No. 9.48.2</b><br>Providing and fixing MS grills of required pattern in frames of windows etc., with MS flats square or round bars etc., all complete - fixed to openings / wooden frames with rawl plugs and screws etc.,            | 100.00<br>KG | 1KG ONE<br>KILO GRAM |         |       |        |
| 18      | <b>Code No. 10.1700</b><br>Providing and fixing M.S. fan clamp type - I or II of 16mm dia MS bar bent to shape with hooked ends in RCC slabs during laying including painting the exposed portin of loop all as per standard design complete. | 2.00<br>NOs  | 1NO ONE<br>NUMBER    |         |       |        |
| 19      | <b>Code No. 9.97.1</b><br>Providing and fixing aluminium tower bolts anodised (anodic coating not les than grade AC 10 asperIS 1868) transparent or dyed to required colour or shade with necessary screws etc., complete 300 x 10mm          | 20.00<br>NOs | 1NO ONE<br>NUMBER    |         |       |        |
| 20      | <b>Code No. 9.97.2</b><br>Providing and fixing aluminium tower bolts anodised (anodic coating not les than grade AC 10 asperIS 1868) transparent or dyed to required colour or shade with necessary screws etc., complete 250 x 10mm.         | 22.00<br>NOs | 1NO ONE<br>NUMBER    |         |       |        |
| 21      | <b>Code No. 14.35.5</b><br>Providing and fixing bright finished brass hand drawn hooks and eyes-100mm   | 34.00<br>NOs | 1NO ONE<br>NUMBER    |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items   | Quantity      | Unit                       | Rate In |       | Amount |
|---------|--|---------------|----------------------------|---------|-------|--------|
|         |  |               |                            | Figure  | Words |        |
| 1       | 2  | 3             | 4                          | 5       | 6     | 7      |
| 22      | <b>Code No. 9.100.1</b><br>Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS 1868) transparent or dyed to required colour or shade with necessary screws etc., complete, 125mm  | 10.00<br>NOs  | 1NO ONE<br>NUMBER          |         |       |        |
| 23      | <b>Code No. 9.96.1</b><br>Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10as per IS:1868) transparent or dyed to required colour or shade with nuts and screws etc., complete:-300x16mm.  | 10.00<br>NOs  | 1NO ONE<br>NUMBER          |         |       |        |
| 24      | <b>Code No. 9.229</b><br>Providing and fixing Godrej Novtal lock 65 mm size.   | 3.00<br>NOs   | 1NO ONE<br>NUMBER          |         |       |        |
| 25      | <b>Code No. 11.38</b><br>Providing and laying ceramic glazed floor tiles 300x300mm (thicknes to be specified by the manufacturer) of 1st quality conforming to IS:15622 of approved make Bell/Johnson/Regency /Somany/Naveen /Asian) in all colours, shades except white, ivory, grey, fume red, brown laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) including pointing the joints with cement and matching pigments etc., complete. | 218.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity     | Unit                       | Rate In |       | Amount |
|---------|---|--------------|----------------------------|---------|-------|--------|
|         |   |              |                            | Figure  | Words |        |
| 1       | 2   | 3            | 4                          | 5       | 6     | 7      |
| 26      | <p><b>Code No. 11.36A</b></p> <p>Providing and fixing 1 st quality ceramic glazed wall tiles conforming to IS:15622 (thickness to be specified by the manufacture of approved make (Jhonson/Asian /Somany/ Nitco) in all colours, shades of size 200 x 300 mm as approved by Engineer-in-charge in skirting, risers of steps and dados over 12mm thick bed of cement mortar 1:3 (1 cement:3coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm., Including pointing in white cement mixed with pigment of matching shade complete. size 200 x 300mm.</p> | 17.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 27      | <p><b>Code No. 12.15.1</b></p> <p>Paninting top of roofs with bitumen of approved quality at 17 Kg/10 sqm impregnated with a coat of coarse sand at 60 cumm / 10 sqm including cleaning the slab surface with brushes and finally with a piece of cloth lightly soaked with kerosene oil complete wityh residual type peroleum bitumen of penetration 80/100.</p>   | 17.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 28      | <p><b>Code No. 12.20</b></p> <p>Providing and laying pressed clay tiles (as per approved pattern 20 mm nominal thickness and of approved size) on roofs jointed with cement mortar 1:4 (1 cement : 4 coarse sand) mixed with 2% integral water proofing compound laid over a bed of 20 mm cement mortar 1:4 ( 1 cement : 4 coare sand) and finished neat coplete.</p>   | 32.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity      | Unit                       | Rate In |       | Amount |
|---------|---|---------------|----------------------------|---------|-------|--------|
|         |   |               |                            | Figure  | Words |        |
| 1       | 2   | 3             | 4                          | 5       | 6     | 7      |
| 29      | <b>Code No. 13.6.1</b><br>20 mm cement plaster of mix 1:4 ( 1 cement : 4 coarse sand).  | 965.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 30      | <b>Code No. 13.16.1</b><br>6 mm cement plaster to ceiling of mix - 1:3 (1 cement : 3 fine sand).  | 14.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 31      | <b>Code No. 13.37.1</b><br>White washing with lime to give and even shade new work (Three or more coats ).  | 192.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 32      | <b>Code No.13.060.1B</b><br>Wall painting with plastic emulsion paint-Premium of approved brand and manufacture to give an even shade-two or more coats on new work.        | 960.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 33      | <b>Code No. 13.61.1</b><br>Painting with synthetic enamel paint of approved brand and manufacture to give and even shade (two or more coats) on new work.                   | 35.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 34      | <b>Code No. 13.61.1</b><br>Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade (one or more coats) on old work. | 350.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items   | Quantity     | Unit                         | Rate In |       | Amount |
|---------|--|--------------|------------------------------|---------|-------|--------|
|         |  |              |                              | Figure  | Words |        |
| 1       | 2  | 3            | 4                            | 5       | 6     | 7      |
| 35      | <b>Code No. 13.50.2</b><br>Applying priming coat with ready mixed aluminium primer of approved brand and manufacture on resinous wood and plywood                | 35.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE   |         |       |        |
| 36      | <b>Code No. 13.61.1</b><br>Painting with synthetic enamel paint of approved brand and manufacture to give an even shade -- (two or more coats) on new work.      | 11.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE   |         |       |        |
| 37      | <b>Code No. 17.13.1</b><br>Providing and fixing white vitreous china water closet squatting pan (Indian type) Orissa pattern W.C. pan of size 580 mm.            | 1.00 NO      | 1NO ONE<br>NUMBER            |         |       |        |
| 38      | <b>Code No. 18.12.2</b><br>Providing and fixing GI pips complete with GI fittings including trenching and refilling etc., (external work 20mm dia nominal bore). | 25.00<br>RUM | 1RUM ONE<br>RUNNING<br>METRE |         |       |        |
| 39      | <b>Code No. 18.19.1.1</b><br>Providing and fixing gun metal non-return valve of approved quality (screwed end). 25 mm nominal bore horizontal.                   | 2.00<br>NOs  | 1NO ONE<br>NUMBER            |         |       |        |
| 40      | <b>Code No. 18.17.1</b><br>Providing and fixing gun metal gate valve with CI wheel of approved quality. (screwed end) 25 mm nominal bore.                        | 2.00<br>NOs  | 1NO ONE<br>NUMBER            |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items   | Quantity     | Unit                         | Rate In |       | Amount |
|---------|--|--------------|------------------------------|---------|-------|--------|
|         |  |              |                              | Figure  | Words |        |
| 1       | 2  | 3            | 4                            | 5       | 6     | 7      |
| 41      | <b>Code No. 18.15.1</b><br>Providing and fixing brass bib cock of approved quality, 15mm nominal bore  | 3.00<br>NOs  | 1NO ONE<br>NUMBER            |         |       |        |
| 42      | <b>Code No. 31.162.1D</b><br>Providing laying and jointing UPVC pipes (Finolex /Jain) (0.4 Mpa) confirming to IS specification 4985 and ISI marked including transportation to the site lowering to the trenches laying to proper grade and alignment testing of joints with required testing equipment including cost of salvent cement excluding UPVC special such as bends tees threaded pieces, couplers, reducers, endcaps etc., complete all as per IS and CPWD specification 110mm dia. | 55.00<br>RUM | 1RUM ONE<br>RUNNING<br>METRE |         |       |        |
| 43      | <b>Code No.31.168.1L</b><br>Providing and fixing in position UPVC moulded elbow (Finolex/Jain)(1 Mpa) confirming to IS 7834 part-II and ISI marked including labour charges for jointing, jointing materials etc., complete - 110 mm dia.  | 8.00<br>NOs  | 1NO ONE<br>NUMBER            |         |       |        |
| 44      | <b>Code No. 16.95</b><br>Supplying fixing and commissioning of suguna /Texmo/Sharp equivalent 1 HP MONOBLOCK pumpset slow speed single phase motor. The rate include the cost of pumpset, pumpset fixing in position and test run etc., complete as directed by the engineer in charge.  | 1.00<br>NO   | 1NO ONE<br>NUMBER            |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity         | Unit                         | Rate In |       | Amount |
|---------|---|------------------|------------------------------|---------|-------|--------|
|         |   |                  |                              | Figure  | Words |        |
| 1       | 2   | 3                | 4                            | 5       | 6     | 7      |
| 45      | <b>Code No. 18.48</b><br>Providing and placing on terrace at all floor levels) polyethylene water storage tank ISI 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet, overflow pipes but without the base support for tank. | 3500.00<br>LTRS. | 1LTR ONE<br>LITRE            |         |       |        |
| 46      | <b>Code No.18.12.03</b><br>Providing and fixing GI pipes complete with GI fittings including and trenching and refilling etc., external work - 25mm dia nominal bore.   | 25.00<br>RUM     | 1RUM ONE<br>RUNNING<br>METRE |         |       |        |
| 47      | <b>Code No. 17.31</b><br>Providing and fixing 600 x 450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with CP brass screws and washers complete.  | 1.00<br>NO       | 1NO ONE<br>NUMBER            |         |       |        |
| 48      | <b>Code No. 17.25.2</b><br>Providing and fixing white vitreous china wash basin including making all connections but excluding the cost of fittings Flst back wash basin of size 550 x 400mm.   | 1.00<br>NO       | 1NO ONE<br>NUMBER            |         |       |        |
| 49      | <b>Code No. 18.18.1.2</b><br>Providing and fixing ball value (brass) of approved quality complete High or low pressure with plastic floats - 20 mm nominal size   | 1.00<br>NO       | 1NO ONE<br>NUMBER            |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items   | Quantity     | Unit                       | Rate In |       | Amount |
|---------|--|--------------|----------------------------|---------|-------|--------|
|         |  |              |                            | Figure  | Words |        |
| 1       | 2  | 3            | 4                          | 5       | 6     | 7      |
| 50      | <b>Code No.04.0017</b><br>Making plinth protection 50 mm thick of cement concrete 1:3:6 (one cement : three coarse sand : six graded stone aggregate 20 mm nominal size) over 75mm bed of dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth.                    | 48.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 51      | <b>Code No.11.0003.01</b><br>Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand: 4 graded stone aggregate) finished with floating coat of neat cement including cement slurry but excluding the cost of nosing of steps etc., complete 40 mm thick with 20 mm nominal size stone aggregate regate 20 mm nominal size stone aggregate). | 12.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 52      | <b>Code No. 15.2.2</b><br>Demolishing cement concrete manually/by mechanical means including disposal of material within 50 metres lead-1:4:8 or leaner mix.   | 1.00<br>CUM  | 1M3 ONE<br>CUBIC METRE     |         |       |        |
| 53      | <b>Code No. 15.7.2</b><br>Demolishing brick work manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead-in lime mortar.  | 5.00<br>CUM  | 1M3 ONE<br>CUBIC METRE     |         |       |        |
| 54      | <b>Code No. 15.23.1</b><br>Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50m lead- For thickness of tiles above 10mm and upto 25mm.   | 15.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items  | Quantity      | Unit                       | Rate In |       | Amount |
|---------|---|---------------|----------------------------|---------|-------|--------|
|         |   |               |                            | Figure  | Words |        |
| 1       | 2   | 3             | 4                          | 5       | 6     | 7      |
| 55      | <b>Code No. 15.30</b><br>Demolishing R.C.C. Work, including stacking of steel bars and disposal of unserviceable material within 50 metres lead.  | 5.00<br>CUM   | 1M3 ONE<br>CUBIC METRE     |         |       |        |
| 56      | <b>Code No. 11.51</b><br>Providing and laying 22mm thick factory made pre polished cement concrete flooring tiles of required colour and design over 20mm thick cement mortar 1:4 (1 cement:4sand) and jointed with cement slurry mixed with an admixture of pigment to match the shade of the tile- (Endura/Ultra/Dazzle/Technic.)   | 40.00<br>SQM  | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 57      | <b>Code No. 15.56</b><br>Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50m lead.  | 960.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |
| 58      | <b>Code No. 12.70</b><br>Providing and fixing colour coated galvalume sheet of 550 M.P.A. yield of AZ 150 strength formed as per patterned steel rib profile with the depth of 31mm pitch of 250mm and overall width of 1060mm and thickness 0.5mm with required Jor C hook bolts and nets 8mm dia G.S. paint and working etc., complete excluding the cost of purlin, rafter and truss etc., | 125.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity      | Unit                       | Rate In |       | Amount |
|---------|---|---------------|----------------------------|---------|-------|--------|
|         |   |               |                            | Figure  | Words |        |
| 1       | 2   | 3             | 4                          | 5       | 6     | 7      |
| 59      | <p><b>Code No. NON</b></p> <p>Treating the top surface of roof (Terrace Top) along with wall junction, horizontal, vertical wherever required with Ropoxy Protective coatings by specialised application in the following sequence. Removing of damaged mangalore tiles and cleaning the entire area by well-contralled mechanical/manual tools and water jetting to remove any loose particles, algae, fungi, dust and other debries etc., Thorough cleaning of the entire surface using wire brush and other mechanical tools, making incision in the crack areas with sharp tools and cutting V grooves. In the entire rooftop, and corners of the slope terrace area, all the cracks, joints in the vertical and horizontal surfaces have to be sealed by using Ropoxy made Hi-Built cold joint sealent (ROPOSEAL) in the ratio 4:1 After proper curing, apply one coat of Ropoxy based cement porous Filler (Ropofil) on the entire surface. After proper curing, we have to cover the entire area by applying two layers of eco-friendly water-resistant/water proofing coating as the top coat (ROPOCOAT RCC) . After through cleaning, we have to apply spray one coat of Ropozy transparent water-repellent coating (ROPOSIL) in the entire area. (The rate is inclusive of all operations a all levels including all mechanical tools, labour, materials, scaffoldings etc,</p> | 540.00<br>SQM | 1M2 ONE<br>SQUARE<br>METRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items   | Quantity  | Unit           | Rate In |       | Amount |
|---------|--|-----------|----------------|---------|-------|--------|
|         |  |           |                | Figure  | Words |        |
| 1       | 2  | 3         | 4              | 5       | 6     | 7      |
| 60      | <b>Code No. 1.1.1.1</b><br>Supplying and fixing of following size of PVC conduit along with the accessories in surface / recess conduit including cutting the wall and making good the same in case of recessed conduitas required. Make : Avonplast / Vijaya - 20 mm dia  | 150.00 M  | 1MTR ONE MRTRE |         |       |        |
| 61      | <b>Code No. 1.1.1.2</b><br>Supplying and fixing of following size of PVC conduit along with the accessories in surface / recess conduitincluding cutting the wall and making good the same in case of recessed condui as required. Make : Avonplast / Vijaya : - 25 mm dia | 40.00 M   | 1MTR ONE MRTRE |         |       |        |
| 62      | <b>Code No. 1.1.2.1</b><br>supplying and laying of following size of PVC conduit in roof slab along with the accessories. Make : Avonplast / Vijaya : - 20mm dia   | 30.00 M   | 1MTR ONE MRTRE |         |       |        |
|         | <b>ELECTRIFICATION</b>   |           |                |         |       |        |
| 63      | <b>Code No. 1.1.2.2</b><br>Supplying and laying of following size of PVC conduit in roof slab along with the accessories. Make : Avonplast / Vijaya : - 25mm dia   | 15.00 M   | 1MTR ONE MRTRE |         |       |        |
| 64      | <b>Code No. 1.1.3.1.3</b><br>Supplying and fixing of following size of PVC junction box in required position along the line of PVC conduit as required. Make : vonplast / Vijaya :-20 mm junction Box three way  | 60.00 NOs | 1NO ONE NUMBER |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items   | Quantity     | Unit              | Rate In |       | Amount |
|---------|--|--------------|-------------------|---------|-------|--------|
|         |  |              |                   | Figure  | Words |        |
| 1       | 2  | 3            | 4                 | 5       | 6     | 7      |
| 65      | <b>Code No. 1.1.3.2.2</b><br>Supplying and fixing of following size of PVC junction box in required position along the line of PVC conduit as required. Make : Avonplast / Vijaya :- 25 mm junction Box two way  | 25.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 66      | <b>Code No. 1.1.3.3.2</b><br>Supplying and fixing of following size of PVC deep junction box in required position along the line of PVC conduit as required. Make : Avonplast / Vijaya :- 20 mm Deep Junction Box two way  | 5.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 67      | <b>Code No. 1.1.3.4.3</b><br>Supplying and fixing of following size of PVC deep junction box in required position along the line of PVC conduit as required. Make : Avonplast / Vijaya :- 25 mm Deep Junction Box three way  | 5.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 68      | <b>Code No. 1.2.1.2</b><br>Supplying and fixing of following size of steel conduit along with accessories in surface / recess including painting in case of surface conduit or cutting the wall and making good the same in case of recessed, conduit as required :- 25 mm | 5.00<br>M    | 1MTR ONE<br>MRTRE |         |       |        |
| 69      | <b>Code No. 1.3.6</b><br>Supplying and fixing of following size of Teak wooden board on recess including cutting the wall and finishing the surface good the same as required - 250mm x 100mm x 50mm. Deep   | 4.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items   | Quantity     | Unit              | Rate In |       | Amount |
|---------|--|--------------|-------------------|---------|-------|--------|
|         |  |              |                   | Figure  | Words |        |
| 1       | 2  | 3            | 4                 | 5       | 6     | 7      |
| 70      | <b>Code No. 1.3.8</b><br>Supplying and fixing of following size of Teak wooden board on recess including cutting the wall and finishing the surface good the same as required - 250mm x 200mm x 50mm. Deep                                 | 4.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 71      | <b>Code No. 1.3.12</b><br>Supplying and fixing of following size of Teak wooden board on recess including cutting the wall and finishing the surface good the same as required - 300mm x 250mm x 50mm. Deep                                | 10.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 72      | <b>Code No. 1.3.17</b><br>Supplying and fixing of following size of Teak wooden board on recess including cutting the wall and finishing the surface good the same as required - 375mm x 300mm x 50mm. Deep                                | 2.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 73      | <b>Code No. 1.5.1</b><br>Supplying and drawing of 1.5 sqmm. FR PVC insulated, copper conductor, single core cable in the existing surface / recessed, PVC / steel conduit / PVC casing and capping as required. Make : Finolex / Polycab:- | 1000.00<br>M | 1MTR ONE<br>MRTRE |         |       |        |
| 74      | <b>Code No. 1.5.2</b><br>Supplying and drawing of 2.5 sqmm. FR PVC insulated, copper conductor, single core cable in the existing surface / recessed, PVC / steel conduit / PVC casing and capping as required. Make : Finolex / Polycab:- | 800.00<br>M  | 1MTR ONE<br>MRTRE |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items   | Quantity     | Unit              | Rate In |       | Amount |
|---------|--|--------------|-------------------|---------|-------|--------|
|         |  |              |                   | Figure  | Words |        |
| 1       | 2  | 3            | 4                 | 5       | 6     | 7      |
| 75      | <b>Code No. 1.5.3</b><br>Supplying and drawing of 4.0 sqmm. FR PVC insulated, copper conductor, single core cable in the existing surface / recessed, PVC / steel conduit / PVC casing and capping as required. Make : Finolex / Polycab:- | 200.00<br>M  | 1MTR ONE<br>MRTRE |         |       |        |
| 76      | <b>Code No. 1.6.6</b><br>Providing and fixing of following size phenolic coated sheet on existing wooden board - 250mm x 100mm x 3mm thick   | 4.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 77      | <b>Code No. 1.6.8</b><br>Providing and fixing of following size phenolic coated sheet on existing wooden board - 250mm x 200mm x 3mm thick   | 4.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 78      | <b>Code No. 1.6.12</b><br>Providing and fixing of following size phenolic coated sheet on existing wooden board - 300mm x 250mm x 3mm thick  | 10.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 79      | <b>Code No. 1.6.17</b><br>Providing and fixing of following size phenolic coated sheet on existing wooden board - 375mm x 300mm x 3mm thick  | 2.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items  | Quantity     | Unit              | Rate In |       | Amount |
|---------|---|--------------|-------------------|---------|-------|--------|
|         |   |              |                   | Figure  | Words |        |
| 1       | 2   | 3            | 4                 | 5       | 6     | 7      |
| 80      | <b>Code No. 1.7.1.1</b><br>Supplying and fixing S.P 1 way 5/6 amps piano / flush type switch on the existing switch box / cover including connection etc., as required, Make : Kundan/Anchor/Vinay:       | 75.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 81      | <b>Code No. 1.7.1.4</b><br>Supplying and fixing S.P 1 way 15/16 amps piano / flush type switch on the existing switch box / cover including connections etc., as required, Make : Kundan/Anchor/Vinay:    | 10.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 82      | <b>Code No. 1.7.1.5</b><br>Supplying and fixing S.P 2 way 15/16 amps piano / flush type switch on the existing switch box / cover including connections etc., as required, Make : Kundan/Anchor/Vinay:    | 2.00<br>NO   | 1NO ONE<br>NUMBER |         |       |        |
| 83      | <b>Code No. 1.7.1.6</b><br>Supplying and fixing 3 pin 15/16 amps piano / flush type socket outlet on the existing switch box / cover including connections etc., as required, Make : Kundan/Anchor/Vinay: | 10.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 84      | <b>Code No. 1.7.1.10</b><br>Supplying and fixing of 16 amps Kit Kat Fuse on the existing switch box / cover including connections etc., as required, Make : Kundan/Anchor/Vinay:                          | 25.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |

Contractor

Commissioner

| Sl. No. | Description of items   | Quantity     | Unit              | Rate In |       | Amount |
|---------|--|--------------|-------------------|---------|-------|--------|
|         |  |              |                   | Figure  | Words |        |
| 1       | 2  | 3            | 4                 | 5       | 6     | 7      |
| 85      | <b>Code No. 1.7.1.14</b><br>Supplying and fixing Electronic Dimmer 400W socket type on the existing switch box / cover including connections etc., as required, Make : Kundan/Anchor/Vinay:                                    | 18.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 86      | <b>Code No. 1.7.2.1</b><br>Supplying and fixing 3 plate, 5 amp ceiling rose on the existing junction box / wooden block including connections etc., as required, Make : Kundan/Anchor/Vinay:                                   | 40.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 87      | <b>Code No. 1.7.2.2</b><br>Supplying and fixing jumbo type Batten/Angle Holder including connections etc., as required, Make : Kundan/Anchor/Vinay:  | 10.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 88      | <b>Code No. 1.7.3.16A</b><br>Supplying and fixing 20A single phase DP main switch with keycard Switch on the existing modular plate and switch box including connections but excluding modular plate as required. Make : MK :- | 1.00<br>NO   | 1NO ONE<br>NUMBER |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items   | Quantity     | Unit              | Rate In |       | Amount |
|---------|--|--------------|-------------------|---------|-------|--------|
|         |  |              |                   | Figure  | Words |        |
| 1       | 2  | 3            | 4                 | 5       | 6     | 7      |
| 89      | <b>Code No. 2.1.1</b><br>Supplying and fixing following way single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface / recess, complete with tinned copper busbar, neutral busbar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and powdered painted including earthing etc., as required: (But without MCB/RCCB/Isolatory) Make : Siemens/ARB/L&T Hager, 4 Way - SPN double door, MCB DB | 1.00<br>NO   | 1NO ONE<br>NUMBER |         |       |        |
| 90      | <b>Code No. 290</b><br>40W box type single tube light fitting with copper choke and starter without tube. make PHILIPS/BAJAJ.  | 40.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |
| 91      | <b>Code No. 257</b><br>60W Incandescent bulb, Make : Philips.  | 5.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |
| 92      | <b>Code No. 259</b><br>Bulk head fittings aluminium alloy body heat resistant prismatic glass cover with specially designaed gasket (GLS 100W type). Make : Philips/Bajaj  | 6.00<br>NOs  | 1NO ONE<br>NUMBER |         |       |        |

**Contractor**

**Commissioner**

| Sl. No. | Description of items   | Quantity     | Unit              | Rate In |       | Amount |
|---------|--|--------------|-------------------|---------|-------|--------|
|         |  |              |                   | Figure  | Words |        |
| 1       | 2  | 3            | 4                 | 5       | 6     | 7      |
| 93      | <b>Code No. 3.1</b><br>Earthing with G.I medium pipe 3.0 mt long and 40mm dia including accessories 250 x 50 x 6 mm G.I clamp with 12 mm bolt, nut and washer for connecting earth wire, RCC ring enclosure and cover plate complete as required : | 1.00<br>SET  | 1 SET             |         |       |        |
| 94      | <b>Code No. 305</b><br>Supplying and fixing 1200 mm sweep double ball bearing ceiling fan make Almonard/Usha   | 20.00<br>NOs | 1NO ONE<br>NUMBER |         |       |        |

**Contractor**

**Commissioner**

**SCHEDULE 'B'**

Schedule of materials to be issued to the contractor.

| Sl. No. | Description of Item | Quantity | Rates in figures and words at which the materials will be charged to the contractor | Place of issue |
|---------|---------------------|----------|---|----------------|
| (1)     | (2)                 | (3)      | (4)   | (5)            |
|         |                     |          | NIL   |                |

Details of Earnest Money remitted by the contractors at the time giving application for tender schedule

Name of work : **IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

Amount of EMD : **Rs.27,050/-**

Mode of Deposit : Demand Draft / Manager / Bankers / Cheque / Pay order

Name of the Bank & Location :

**SCHEDULE "C"**

Tools and plants to be hired to the contractor

| Sl. No.                                     | Description | Hire charges per day | Place of issue |
|---|-------------|----------------------|----------------|
| (1)   | (2)         | (3)                  | (4)            |
| <b>- To be arranged by the contractor -</b> |             |                      |                |

**SCHEDULE "D"**

Extra schedule for specific requirements / documents for the work, if any.

**SCHEDULE "E"**

Schedule of component of materials, labour etc. for escalation.

**SCHEDULE 'F'**

Reference to General Conditions of contract.

Name of work : **IMPROVEMENTS TO THE OLD MUNICIPAL OFFICE BUILDING AT KARAIKAL.**

Estimated Cost of Work : **Rs. 13,52,409/-**

Earnest Money : **Rs.27,050/-**

Performance Guarantee : 5% of the tendered value.

Security Deposit : 5% of the tendered value.

Additional performance Guarantee (In case of tender which is more than 5% below)

: 50% of the difference in cost between the quoted amount and estimate cost put to tender

**GENERAL RULES & DIRECTIONS**

Officer Inviting tender

The Commissioner Karaikal Municipality

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 &12.3

(See below)

**Clause 1**

**(i) Time allowed for submission of performance guarantee from the date of issue of letter of acceptance in days**

**15 days**

**(ii)Maximum allowable extension beyond the period as provided in (i)above in days.**

7 days

**Definitions :**

2(v)

Engineer-in-Charge

**Executive Engineer, Karaikal Municipality, Karaikal.**

2(viii)

Accepting Authority

**The Commissioner Karaikal Municipality, Karaikal.**

2(x)

Percentage on cost of materials and labour to cover all overheads and profits.

15%

2(xi)

Standard Schedule of Rates

Puducherry Schedule of Rates for the **year 2010-11** applicable to Karaikal Region.

2(xii)

Department

**Karaikal Municipality**

9 (ii)

Standard P.W.D. Contract

Form 7/8 as modified and Form corrected upto date.

**Clause 2**

Authority for fixing compensation under Clause 2

**Municipal Council, Karaikal Municipality**

**Clause 2A**

Whether clause 2A shall be applicable

No

**Clause 5**

Para (i)

Time allowed for execution of work

**6 (Six months) including Monsoon period**

Para (ii)

Authority to give fair and reasonable extension of time for completion of

**Municipal Council**

work

|                                  |  |   |
|----------------------------------|--|---|
| <b>Clause 7</b>                  | Gross work to be done together with net payment / adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment |   |
| Clause 10cc                      | Clause 10cc to be applicable in contracts with stipulated period of completion exceeding the period shown in the next column   | 18 months   |
| <b>Clause 11</b>                 | Specifications to be followed for execution of works   | C.P.W.D. specifications 1996, Vol-I and VI, MOST, IRC & CPHEEO specifications and manuals (with correction slips and subsequent publications) |
| <b>Clause 12</b><br>12.1.2 (iii) | Schedule of rates for determining rates for additional, altered or substituted items that cannot be determined under 12.1.2(ii)  | Puducherry Schedule of Rates for the Year 2010-11 applicable to Karaikal region   |
| 12.1.2(iv)                       | Plus/Minus the %over the rate entered in the Schedule of rates   | _____%  |
| 12.2 & 12.3                      | Deviation limit beyond which Clauses 12.2 & 12.3 shall apply for (i) Building Work   | 30%   |
| 12.5                             | Deviation limit beyond which clause 12.2 & 12.3 shall apply for.   |   |
|                                  | For maintenance work , Bldg. work of time bound urgent & emergency nature  | 50%   |
|                                  | For foundation work  | 100%  |
|                                  | Limit for value of any item of any individual trade beyond which sub-clauses (i) to (v) shall not apply and Clauses 12.2 and 12.3 shall apply.                             | %   |
| <b>Clause 16</b>                 | Competent Authority for deciding reduced rates   | Superintending Engineer, Circle III, PWD, Karaikal  |

**CLAUSE – 36  
STAFF**

**CONTRACTORS, SUPERINTENDENCE, SUPERVISION, TECHNICAL  
AND EMPLOYEES**

(i) The contractor shall provide all necessary superintendence during execution of the work and all thereafter as may be necessary for proper fulfilling of the obligations under the contract.

The contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-Charge the name(s), qualifications, experience age, address(s) and other particulars along with certificates, of the principal technical representative to be in charge of the work and other technical representative(s)

who will be supervising the work. Minimum requirement of such technical representative(s) and their qualifications and experience shall not be lower than specified in Schedule-F. The Engineer-in-Charge shall within 3 days of receipt of such communication intimate in writing his approval or otherwise of such representative(s) to the contractor. Any such approval may at any time be withdrawn and in case of such withdrawal the contractor shall appoint another such representative(s) according to the provisions of this clause. Decision of the tender accepting authority shall be final and binding on the contractor in this respect. Such a principal technical representative(s) shall be appointed by the contractor soon after receipt of the approval from the Engineer-in-Charge and shall be available at site start of work.

All the provisions applicable to the principal technical representative under the Clause will also be applicable to either technical representative(s). The principal technical representative and other technical representative(s) shall be present at the site of work for supervision at all times when any construction activity is in progress and also present himself / themselves, as required, to the Engineer-in-Charge and / or his designated representative to take instructions. Instructions given to the principal technical representative or other technical representative(s) shall be deemed to have the same force as if these have been given to the contractor. The principal technical representative and other technical representative(s) shall be actually available at site fully during all stages of execution of work, during recording / checking / test checking of measurements of works and whenever so required by the Engineer-in-Charge and shall also note down instructions conveyed by the Engineer-in-Charge or his designated representative(s) in the site order book and shall affix his / their signature in token of noting down the instructions and in token of acceptance of measurements / checked measurements / test checked measurement. The representative(s) shall not look after any other work. Substitutes, duly approved by Engineer-in-Charge of the work in similar manner as aforesaid shall be provided in event of absence of any of the representative(s) by more than two days.

If the Engineer-in-Charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative(s) is / are effectively appointed or is / are effectively attending or fulfilling the provision of this Clause, a recovery (non-refundable) shall be effected from the contractor as specified in Schedule "F" and the decision of the Engineer-in-Charge as recorded in the site order book and measurements recorded checked / test checked in Measurement Books shall be final and binding on the contractor. Further, if the contractor fails to appoint suitable Principal technical representative and / or other technical representative(s) and if such appointed persons are not effectively present or are absent by more than two days without duly approved substitute or do not discharge their responsibilities satisfactorily, the Engineer-in-Charge shall have full powers to suspend the execution of the work until such date as suitable other technical representative(s) is/are appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor shall submit a certificate of employment of the technical representative(s) along with every on account bill / final bill and shall produce evidence if at any time so required by the Engineer-in-Charge.

Accordingly existing provision of “Schedule – F” related to Clause 36(i) is substituted with modified provision as following :-

“Requirement of Technical Representative(s) and Recovery Rate”

| Sl. No. | Minimum qualification of Technical Representative | Discipline | Designation (Principal Technical / Technical representative) | Minimum experience | Number | Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of Clause 36(i) |       |
|---------|---|------------|--|--------------------|--------|---|-------|
|         |   |            |  |                    |        | Figures   | Words |
|         |   |            |  |                    |        |   |       |

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers

**Superintending Engineer (C & M)**

**Clause 42**

- (i) (a) Schedule / Statement for determining theoretical quantity of cement and bitumen on the basis of Delhi Schedule of Rates 1993 printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities.
  - (a) Cement for works with estimated cost put to tender not more than Rs. 5 lakhs. 3% plus / minus
  - for works with estimated cost put to tender more than Rs. 5 lakhs 2% plus / minus
  - (b) Bitumen all works 2.5% plus only and nil on minus side.
  - (c) Steel reinforcement and structural steel sections for each diameter, section and category. 2 % plus / minus.
  - (d) All other materials. Nil

**CLAUSE 47**

During the course of contract period, deduction of “CESS” to provide social security and various welfare benefits through the Puducherry Buildings and other construction workers Welfare Board under Section 18 of the Building and Other Construction Workers Cess collection (RECS) Act, 1996, shall be made at the rate of 1% (One Percent) of The gross amount of each bill or as the advice of the Government of Puducherry.

**RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION**

| Sl. No. | Description of Item                      | Rates in figures and word at which recovery shall be made from the contractor |   |
|---------|--|---|---|
|         |  | Excess beyond permissible variation   | Less use beyond the permissible variation |
| (1)     | (2)                                      | (3)   | (4)                                       |
| 1.      | Cement                                   |   |   |
| 2.      | Steel reinforcement                      |   |   |
| 3.      | Structural sections                      |   |   |
| 4.      | Bitumen issued free                      |   |   |
| 5.      | Bitumen issued at stipulated fixed price |   |   |

**GENERAL CONDITIONS**

(1) The work shall in general be carried out in accordance with CPWD specifications for works in Delhi 1996 Volume I to VI with correction slips and issued from time to time. Revised CPWD Specification 2002 for cement mortar, cement concrete & RCC.

(2) However if the said specifications differ from those given in the description of any particular item in the schedule of quantities and specifications stipulated herein, the latter shall prevail.

(3) If the detailed description of any particular item in the schedule of quantities finally accepted by the department differs from the particular specifications given hereunder, the former shall prevail to the extent applicable.

(4) If the particular specification given hereunder differs from I.S. code provisions, in any respect, the former shall prevail.

(5) Wherever any reference to any Indian standard specification occurs in the documents relating to this contract the same should be inclusive of all amendments issued thereto or revision thereof if any, upto the date of receipt of tenders.

(6) Conditions involving any financial implications other than those covered in the schedule of quantities will not be entertained and such tenders are also liable to be rejected.

(7) When working near existing structures, care shall be taken to avoid any damage to such structures, any such damage caused intentionally or unintentionally shall be restored to original and or acceptable condition and to the satisfaction of the Engineer-in-charge.

(8) The contractor shall give to the other Commune Panchayats, Police and other authorities all notices etc., that may be required to be given as per law and obtain all requisite licenses for temporary obstructions, enclosures and pay all fees, taxes and charges which may be leviable on account of the operations during the execution of the contract. The department on this account will entertain no extra claim of the contractor.

(9) Other agencies doing works related to this project may also simultaneously execute the works and the contractor shall co-ordinate and co-operate with them as found to be necessary at no extra cost.

(10) Any cement slurry or lime mortar or any combination thereof or water proofing material required for continuation from old work is demand to have been in built in the relevant items themselves and nothing extra shall be paid for the same.

(11) Unless otherwise specified in the schedule of quantities the rate for all items of the work shall be considered as inclusive of pumping out or bailing out water if required for which no extra payment will be made. This will include water encountered from any source as rains, flood, and subsoil water table being high due to any other cause whatsoever.

#### **CONDITIONS FOR ISSUE OF MATERIALS**

The materials shall be issued to the contractor at the place of delivery as mentioned in schedule 'B'. If these are delivered at any other site, the difference due to cartage will be adjusted accordingly. The contractor shall have to cart at his cost the materials to the site of work as soon as these are issued. The materials shall be issued between the working hours and as per rules prevails in the stockyard of the materials as framed from time to time.

The contractor shall bear all incidental charges for cartage, storage and safe custody of materials. No reimbursement of the expenses will be made by the department.

The contractor shall construct suitable godown at the site of work for storing the materials safe against damage of sun, rain, dampness, fire, theft etc. He shall also employ necessary watch and ward establishment for the purpose.

Cement bags shall be stored in separate godown with pucca floor weatherproof roofs and walls. Each godown shall be provided with a single door with two locks. The key of one lock shall remain with the Department Junior Engineer-in-charge of the work and that of the other lock with authorized agent of the contractor at the site of work so that the cement is removed from the godown accordingly to the daily requirements with the knowledge of both the parties.

The cement shall be stacked on proper floors consisting of two layers of dry bricks laid on well-consolidated earth at a level of at least 0.3 meters above ground level. These stocks shall be in row of 2 and 10 high with a minimum of 0.6 meter clear space all round. The bags would be placed horizontally continuous in each line as shown in the sketch at page 398 of C.P.W.D. specification 96 Vol I.

The day today receipts and issue accounts of cement shall be maintained by the Junior Engineer-in-charge and signed daily by the contractor or his authorized agent.

#### **MATERIALS OBTAINED FROM DISMANTLEMENT**

I. The contractors, in course of their work, should understand that all materials (e.g. stone and the other materials) obtained in the work of dismantling, excavation etc. will be considered P.W.D. property and issued to the contractor (if they require the same for their own use) at rates approved by Government. If they do not require these materials, they will dispose of to the best advantage of the Government.

#### **DELAY IN OBTAINING MATERIALS BY THE DEPARTMENT**

II. Owing to difficulty in obtaining certain materials in the open market, the Karaikal Municipality. have undertaken to supply materials specified in schedule 'B' of the tender forms at rates stated therein. There may be delay in obtaining the materials by the Department and the contractor is, therefore required to keep himself in touch with the day to day position regarding the supply of materials from the Engineer-in-charge and to so adjust the progress of their work that their labour may not remain idle nor may there be any other claim due to so arising from delay in obtaining the materials. It should be clearly understand that no claim whatsoever shall be entertained by the Karaikal Municipality on account of delay in supplying materials.

III. M.S. or deformed bars shall be issued in lengths as available in stores. M.S. or deformed bars shall be issued in straights or in coils as available and nothing extra shall be payable for straightening the bars. The bars issued in available lengths shall be cut to the required lengths and nothing extra shall be payable for the same.

IV. The contractor shall have to deposit the approved paints of required color and shade as per actual requirements of the work to be done with the Engineer-in-charge at his Departmental Store at the site of work.

The contractor shall be responsible for the water proof ness of the roof for one full monsoon season after the date of completion. He shall rectify the defect noticed after due intimation in writing is given by the Engineer-in-charge failing which, Engineer-in-charge shall get the defects repaired at the contractor's risk and cost.

#### **WATER SUPPLY AND SANITARY WORK**

V. The contractor shall engage licensed plumber for the work and do the Public Works Department authorities whenever required at their own cost test the materials. The work shall be carried out according to the Public Works Department Bye-laws an the contractor shall produce necessary certificate from Public Works Department authorities for the completion of the work.

VI. The contractor shall have to deposit water proofing compound as per the actual requirements for the water proofing job with the Engineer-in-charge at his Departmental Stores at the site of work.

The water proofing compound will be issued to the contractor from time to time according to his requirements for the work in the same manner as the issue of the materials stipulated to be issued departmentally.

#### **INCONVENIENCE TO PUBLIC**

VII. The contractor shall not deposit materials on any site, which will seriously inconvenience the public. The Engineer-in-charge may require the contractor to remove any materials, which are considered by him to be a danger or inconvenience to the public or cause them to be removed at the contractor's cost.

VIII. Any damage to work resulting from rains or from any other cause until the work is taken over by the Department after completion will be made good by the contractor at his own cost.

IX. The contractor shall deposit royalty and obtain necessary permit for supply of sand, HBG metal, red earth, etc. from local authorities.

X. The contractor shall get himself acquainted with the nature and extent of the work and satisfy himself about the availability of quarry and of kiln for collection and conveyance of materials required for the construction. The contractor's quoted rate should take into account all these factors and will not be allowed for extra lead for collection and conveyance of materials for any reason whatsoever.

XI. The contractor will be permitted to set up labour camp only before a week from the commencement of work and not exceeding fifteen days after the completion of the work.

XII. The contractor shall conform to the provision of any government acts which relate to works and to the regulations and bye-laws of any local authorities. The contractors shall give all notices required by the said acts or laws etc., pay all payable to such authorities and allow for these contingencies in his tendered rates including fees for encroachments, costs of restoration etc., and all fees payable to the local authorities.

XIII. Where surplus earth of a suitable quality exists at the site of work, the contractor shall be allowed to use same free of cost making mud mortar for masonry and for laying mud terracing over the roof. The Engineer-in-charge shall be the final authority to decide whether the earth obtained from excavation is surplus or not.

The surplus earth excavated which is beyond the requirement public works department works, may be allowed by the Executive Engineer to be disposed of by the contractor on his own or to sell the surplus earth to private parties at his discretion, but nothing extra will be paid for carriage or disposal of the surplus earth, if the same is not required for Karaikal Municipality Works.

Wherever fine sand has been mentioned in the schedule of quantities, it should be conforming to the grading Zone-I or Zone-V as mentioned in the C.P.W.D. specifications.

XIV. Concrete will be mixed with mixers either operated by hand or mechanical.

XV. The contractor shall not employ women and men below the age of 18 on the work of painting with products lead, in any form wherever men above the age of 18 are employed on the work of lead painting, the following principles must be observed for such use:

- (a) White lead sulphate or lead, or products containing these pigments shall not be in painting operation except in the form of paste or of paint ready for use.
- (b) Measure shall be taken in order to prevent danger arising from application of paint in the form of spray.
- (c) Measure shall be taken wherever practicable against danger arising from dust caused by dry rubbing down and scraping.
- (d) Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
- (e) Overalls shall be worn by working painters during whole of the working period.
- (f) Suitable arrangements shall be made to prevent clothing put off during working hours being soiled by painting materials.
- (g) Cases of lead poisoning and suspected lead poisoning shall be subsequently verified by a medical team appointed by the competent authority.
- (h) The department may require when necessary medical examination of workers.
- (i) Instructions with regard to the special hygienic precautions to be taken in the painting trade shall be distributed to working painter.

The standard section weights referred to as standard tables in para 5.3.3 in specifications for work 1996 Vol.-1 to of Analysis of rates be considered for conversion of length of various size of M.S. bars and for steel bars into weights are as under:-

| Size<br>(Diameter)<br>mm | Weight<br>Kg/m | Size<br>(Diameter)<br>mm | Weight<br>Kg/m |
|--------------------------|----------------|--------------------------|----------------|
| (1)                      | (2)            | (3)                      | (4)            |
| 6                        | 0.222          | 25                       | 3.855          |
| 8                        | 0.395          | 28                       | 4.836          |
| 10                       | 0.617          | 32                       | 6.316          |
| 12                       | 0.888          | 36                       | 7.994          |
| 16                       | 1.579          | 40                       | 9.869          |
| 18                       | 1.999          | 45                       | 12.490         |
| 20                       | 2.467          | 50                       | 15.424         |
| 22                       | 2.985          |                          |                |

Issue of steel diameter above 10mm will be regulated on sectional weights being calculated with the help of the above tables. However, for bars M.S. / Tor steel up to and including 10mm the following procedure shall be adopted. The average sectional weights for each diameter shall be arrived at from samples from each lot steel received at site . The actual weights of steel issued shall be modified to take into account the variations between the actual and the standard co-efficients given above and the contractor's account will be debited by the cost of this modified quantity only. The discretion of the Engineer-in-charge shall be final for the procedure to be followed for determining the average sectional weight of each lot. Quantity of each diameter of steel received at site of work each day will constitute one single lot for this purpose.

## **SPECIAL CONDITIONS APPLICABLE FOR ROAD WORKS**

### **(1) Construction Equipment**

1.1 The methodology and equipment to be used on the project shall be furnished by the contractor to the engineer well in advance of commencement of work and approval of the engineer obtained prior to its adoption and use.

1.2 The contractor shall give a trial run of equipment for establishing its capability to achieve the laid down specifications and tolerance to the satisfaction of the Engineer before commencement of work, if so desired by the Engineer

1.3 All equipment provided shall be operated and maintained at all times in a manner acceptable to the Engineer.

1.4 No equipment or personnel will be removed from site without permission of the Engineer

### **(2) Work Program and Methodology of Construction:**

The Contractor shall furnish his program of construction for execution of the work within the stipulated time schedule together with methodology of constructional each item of work and obtain the approval of the Engineer prior to actual commencement of work.

### **(3) Revised Programme of Work in case Slippage:**

In case of slippage from the approved work programme at any stage, the Contractor shall furnish revised programme to make up the slippage within the stipulated time schedule and obtain the approval of the Engineer to the revised programme.

### **(4) Action in case of Disproportionate progress:**

In case of extremely poor progress of the work or any item at any stage of work which in the opinion of the Engineer cannot be made good by the Contractor considering his available resources, the Engineer will get it accelerated to make up the lost time through any other agency and recover the additional cost incurred, if any, in getting the work done from the contractor after informing him in writing about the action envisaged by him.

### **(5) Setting out:**

Setting out the work as spelt out in clause 109 of ministry's Specifications for Road and Bridge Works 3rd Revision will be carried out by the Contractor.

## **(6) Public Utilities:**

Action respect of public utilities will be taken by the contractor as envisaged in clause 110 of Ministry's Specification for Road and Bridge works 4th Revision.

## **(7) Arrangement for traffic during construction:**

Action for arrangement for traffic during construction will be taken by the contractor as envisaged in the contract documents and spelt out in clause 112 of Ministry's Specifications for road and Bridge Works (4th Revision).

## **(8) Quality Control:**

The onus of achieving quality of work will be on the Contractor who will take actions as stipulated in Section 900 of Ministry's for Road and Bridge Works (4th Revision).

## **(9) Ministry's Specifications for Road Bridge Works (4th Revision) :**

The Ministry's Specifications for Road and Bridge Works 4th Revision will form part of the Contract documents and the Contractor will be legally bound to the various stipulations made therein unless and otherwise specifically relaxed or waived wholly or partly through a special clause in the contract document.,

## **(10) Documentation:**

The Contractor will prepare drawing(s) of the work as constructed and will supply original with three copies to the Engineer who will verify and certify these drawings. Final as constructed drawing(s) shall then be prepared by the Contractor and supplied in triplicate along with a microfilm of the same to the Engineer for record and reference purposes.

(11) The Contractor shall make his own arrangement to provide the Bitumen required for the work from approved public sector, refineries such as IOC, BP, HPL, etc., and produce the paid voucher to the Engineer - in - charge. The materials so procured shall be got tested use.

(12) The use of rubber-modified bitumen shall be as per the guidelines of "IRC SP 53 - 99"

(13) The Contractor shall use "Electronic Sensor paver" for this work

## **ADDITIONAL CONDITIONS**

1. The rate for all items of works shall unless clearly specified otherwise include cost of all labour, materials and others inputs involved in the execution of item.

2(a) For the purpose of recording measurements and preparing running account bill the abbreviated nomenclature enclosed with the standard form shall be adopted. The abbreviated nomenclature shall be taken to cover all the materials and operations as per the complete nomenclature of the relevant items in the agreement and other relevant specifications.

(b) In case of extra and substituted items of work for which abbreviate nomenclature is not provided in the agreements, the full nomenclature of items shall be reproduced in the measurement books and bill forms for running account bills.

3. For all doors and windows whether factory made or otherwise, cleats and rubber buffers 30mm dia. shall be provided as directed by the Engineer-in-charge and the rate shutter item shall include the cost of providing such wooden cleats and buffers.

4. For those doors where hydraulic door closer is provided and no reduction in rate shall be made for the same.

5. The particle board shutter shall be provided, with teak wood lipping (beading) at the edge to which hinges are fixed, without any extra cost.

6. For works where items of aluminium doors, windows etc., are specified, the grade of anodic coating to be provided in accordance with table I of IS: 1868-1968 together with reference to IS: 5523-1969.

7. Where hydrated lime is available, this can be used on the works and the places where hydrated lime is not available, lime concrete will be prepared by the traditional method of slaking the lime preparing the lime putty etc.

8. (a) Tendered rates are inclusive of all taxes and levies payable under the respective statutes. However pursuant to the constitution (46<sup>th</sup> Amendment) Act 1982, if any further tax or levy is imposed by the statute after the date of receipt of tenders and the contractor thereupon necessarily and properly pays such taxes/levies, the contractors shall be reimbursed the amount so paid provided such payment, if, any, is not, in the opinion of the Engineer-in-Charge (whose decision shall be final and binding) attributable to delay in execution of work within the control of the contractor.

(b) The contractor shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allow inspection of the same by a duly authorized representative of Public Works Department and further shall furnish such other information/document as the Engineer-in-Charge may require.

(c) The contractor shall within a period of 30 days of imposition of any further tax or levy pursuant to the Constitution (46<sup>th</sup> Amendment) Act, 1982 give a written notice thereof to the Engineer-in-Charge pursuant to this condition, together with all necessary information relating therein.

The components of material labour P.O.L as indicated in Para 3 of sub clause 10(cc) have been prescribed as below

- (a) Material - 75%
  - (b) Labour - 25%
  - (c) P.O.L - Nil
- 100percent

9. Stipulated materials shall be issued for use at site of work for all the items where such materials are required. For factory made products like precast cement tiles, precast hollow concrete blocks, precast foam concrete blocks, precast RCC pipes etc., stipulated materials shall not be issued.

10. While execution of the work, the contractor shall in such a way that the normal functioning of the premises is not disturbed.

11. Any damage done to the existing structure while dismantling execution of the work shall be made good by the contractor at claim shall be made would by the contractor at his own cost and no extra claim shall be entertained on this account.

12. The item of Anti-termite treatment shall be executed through a specialized firm.

**CONDITIONS FOR STEEL**

13.(i) The contractor shall make his own arrangements to provide the steel required for the work from **SAIL / ISSCO / TISCON / VISAG STEEL PLANT** and produce the paid voucher to the Engineer-in-Charge. The materials so procured shall be got tested before use.

(ii) The steel reinforcement shall be brought to the site in bulk supply of 10 tonnes or more or as decided by the Engineer-in-charge.

(iii) The steel reinforcement shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes and lengths shall be stored separately to facilitate easy counting and checking.

(iv) For checking nominal mass tensile strength bend test, re-bend test etc, specimen of sufficient length shall be cut from each size of the bar at random at frequency not less than that specified below.

| Size of bar      | For consignment below<br>100 tonnes              | For consignment over<br>100 tonnes               |
|------------------|--|--|
| Up to 10mm dia   | One sample for each 25<br>tonnes or part thereof | One sample for each 40<br>tonnes or part thereof |
| 10mm to 16mm dia | One sample for each 35<br>tonnes or part thereof | One sample for each 45<br>tonnes or part thereof |
| Over 16mm dia    | One sample for each 45<br>tonnes or part thereof | One sample for each 50<br>tonnes or part thereof |

(v) The contractor shall supply free of charge the steel required for the testing the cost of tests shall be borne by the contractor/department in the manner indicated below:

(a) By the contractor, if the results show that the steel does not confirm to relevant BIS codes

(b) By the Department, if the results show that the steel confirms to relevant BIS codes.

(vi) The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be Governed by conditions laid therein.

(vii) Steel brought to site and steel remaining unused shall not be removed from site without the written permission of the Engineer-in-charge.

14. The contractor shall procure 43 grade cement having ISI mark cement from reputed firms having annual turnover of not less than one million M.T. and store it in the site godown as per the guidelines specified in the CPWD specification 1996 Vol-II under double lock system. The paid voucher of the cement procured shall be produced to the Engineer-in-Charge. The cement procured shall be got tested before use.

15. The contractor shall make his own arrangements to provide the bitumen required for the work from approved public sector, refineries such as IOC, BP, HPL etc., and produce the paid voucher to the Engineer-in-Charge. The materials so procured shall be got tested before use.

16. Necessary test certificates should be produced from the approved laboratory for the quality of materials.

17. Defective materials will be rejected and the same have to be reparable by the contractor at his own cost.

18. Original purchase vouchers should be produced at the time of receipt of materials and at the time of verification by the Engineer-in-Charge. The name of contractor, name of work and agreement number should be clearly noted in the original vouchers.

19. The test specimens shall be provided at free of cost by the contractor.

20. As per circular No.339/PW/EE (D)/F.No.213/02/03; dt: 10-10-02. The cost of samples and all other incidental charges such as packaging transportation to the laboratory, etc., shall also be borne by the contractor. The testing fee shall be paid by the Engineer-in-Charge if the materials pass the test.

21. The test for cement has to be conducted for every 200 bags or part. The test for steel has to be conducted for every consignment of 20 tonne or part thereof for each size/dia.

## **ADDITIONAL CONDITIONS II**

### **ADOPTION OF PSR ABBREVIATED NOMENCLATURE - 2002**

As per Chief Engineer's Circular No.378/PW/EE(D)/AE(C)/F.NO.286/2002-03, dated 30.10.2002 the Puducherry Schedule of Rates Abbreviated Nomenclature 2002 for buildings and road works shall be adopted in the recording of measurements and preparation of running account bills, etc., wherever applicable as per CPWD Manual Vol-II Para 7.14.1 to 7.14.6.

### **PARTICULAR SPECIFICATIONS**

1. The work executed shall be measured as per metric dimensions given in the schedule of quantities. The FPS units wherever indicated in the drawings are for guidance only.
2. Unless otherwise specified, all the rates quoted by the contractor shall be for items of work at all levels and heights of the building.
3. The work shall be executed as per the C.P.W.D. specifications 1996 Vol.11 (with correction slips and subsequent publications). In case of discrepancies between the specifications of a particular item as indicated in the C.P.W.D. specifications mentioned above and as indicated in the nomenclature of the item the latter shall prevail.
4. All stone aggregate, sand etc., shall be obtained only from quarries or other sources approved by the Engineer-in-Charge.  
  
All the materials shall be got approved by the Engineer-in-Charge before they are actually procured and used at site.
5. The grading of sand to be used for mortars and concrete shall be determined at the site of work by the Engineer-in-Charge and sand conforming to these gradings only shall be used on the work.
6. Necessary washing, screening, etc., of metal and sand shall be done at site as per requirements of the Engineer-in-Charge.
7. Bricks shall have crushing strength of class designation.
8. The work of water supply and internal sanitary installations and drainage shall be carried out as per bye-laws of the local Municipal body.
9. All manufactured materials used on the work shall have ISI mark. In case of materials for which no manufacturer has been licensed to manufacture the materials with ISI marking, the materials shall conform to the provisions of C.P.W.D./MORTH/IRC/CPHEEO specifications or the ISI code (in the absence of C.P.W.D. specifications or other specification mentioned above for any particular material). In the case of all materials, tests shall be conducted to ensure that they conform to the specifications of codes mentioned above.
10. All materials which are to be tested before use on the work should be procured at least 2 months before use on the work so that enough time is available for testing them before they are actually used.

11. The cost of samples and all other incidental charges such as packing, transportation to the laboratory etc., shall be borne by the contractor. The testing fee shall be paid by the Engineer-in-Charge if the material passes the test.

12. The architectural drawings Nos. based on which the work is to be executed are available with the Engineer-in-Charge and can be inspected by the prospective tenderers up to the date of receipt of tenders at his office during working hours.

Use and testing of all the manufactured materials used in the work shall be regulated as per correction slip No. 42 of C.P.W.D. specifications 1996 Vol. -1.

13. Before receiving final payment for the work, contractor shall give an undertaking to the effect that at his own cost he will rectify the defects in walls, roof like leakage, cracks etc. Which may come to light during the first monsoon after the completion of work and for this purpose part of the security deposit which may be deemed reasonable by the Engineer-in-Charge shall be retained till the first monsoon is over as security against the contractor's failure to act upon the undertaking. This undertaking and consequent retention of part of the security deposit shall not invalidate the contract. The timber to be used on the work shall be of first class wood of species mentioned in the particular item. The timber shall be kiln seasoned as per B.I.S. 1141 – 1973 and shall be treated with non-leach able type preservative by vacuum pressure method as per B.I.S. 401 – 1982.

#### **FACTORY MADE PANELLED SHUTTERS FOR DOORS**

14. The shutters shall be fabricated generally as per I.S. 1003 (Part I) – 1997 and as per Architect's drawings. The timber to be used shall be of first class wood of species mentioned in the particular item which shall be kiln seasoned and preservative treated. The panels shall be as specified in the item number. Samples of shutters shall be got tested as per I. S. 1003 (Part I) – 1997. The rate quoted for the item shall include the element of cost of shutter to be sent for testing and no claim on this account shall be entertained at a later date.

15. Pressed clay tiles to be used on the work conform to I. S. 2690 (Part I) – 1975. However, the water absorption of the tiles when tested by the method described in the Appendix 'A' of the said I. S. 2690 (Part I) 1975 shall not exceed 18% (Eighteen per cent.).

16. Shahabad stone slabs, marble slabs etc. on treads and risers of steps and shelves shall be in single pieces.

#### **P.V.C. PIPES INTERNAL WORK AND EXTERNAL WORK**

17. The specification in respect of laying and jointing rigid P.V.C. threaded pipes both internal and external shall be as per para 19.7.1 to 19.7.7 and 19.9.1 to 19.9.2 of C.P.W.D. specifications 1996 Vol.II. The rigid P.V.C. threaded pipes shall confirmed to relevant ASTM standard and shall be ORIPLAST or equivalent.

18. Wherever RCC walls, fins and facials are monolithic the portion of RCC are to be measured as per the sketch attached in Page No. ....

The top surface of the RCC roof slab shall be screeded to be uniform when the concrete is green, so as to have a proper bond with the roof treatment. Nothing extra shall be paid on this account.

19. For aluminium doors, fixed glazing, fixed windows, sliding windows, lower type ventilators and partitions etc. all aluminium sections shall be to the required size, thickness and weight as shown in the relevant Architect's Drawings.

20. The weight of stays given in para 9.23.20 of C.P.W.D. specifications 1996, Volume I shall be for cast brass stays only.

The weight of the mild steel and anodized aluminium stays shall be as follows: -

| Casement stays<br>(Straight peg type) | Mild steel with<br>tolerance of plus or<br>minus % | Anodized aluminium<br>with tolerances of plus<br>or minus % |
|---------------------------------------|--|---|
| (a) 300 mm long                       | 0.13 Kg/each                                       | 0.06 Kg/each  |
| (b) 250 mm long                       | 0.10 Kg/each                                       | 0.05 Kg/each  |
| (c) 200 mm long                       |  | 0.04 Kg/each  |

The casement window fasteners 0.155 kg/each

**FORM OF PERFORMANCE SECURITY**

**BANK GUARANTEE BOND**

In consideration of the Municipal Council (hereinafter called "The Government ") having offered to accept the terms and conditions of the proposed Agreement to be made between .....and..... (hereinafter called "The said contractor(s) "for the work..... (hereinafter called "the said agreement" having agreed to production of a irrevocable bank Guarantee for Rs ..... Rupees .....only) as a security/guarantee from the contractor(s) for compliance of his obligations in accordance with the terms and conditions in the said agreement. We .....(hereinafter referred to as " the Bank") .....(indicate the name of the Bank) hereby undertake to pay to the Government an amount not exceeding Rs. .... (Rupees..... only) on demand by the Government.

2. We .....(indicate the name of the Bank) do hereby undertake to pay the amount due ..... and payable under this guarantee without any demure, merely on a demand from the Government stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the Bank shall be conclusive as regards the account due and payable by the Bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs..... (Rupees ..... only).

3. We said that the bank further undertake to pay to the Government any money so demanded notwithstanding any dispute raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payments so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor(s) shall have no claim against us for making such payment.

4. We ..... (indicate the name of the Bank) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till the Engineer-in-charge on behalf of the Government certified that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.

5. We.....further agree with Government that (Indicate the name of the bank).The Government shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to

postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor(s) and to for-bear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said contractor(s) or for any bearance act or omission on the part of the Government or any indulgence by the Government to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision, have affect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).

7. We .....lastly undertake not to revoke this guarantee except (Indicate the name of the Bank) With the previous consent of the Government in writing.

8. This guarantee shall be valid up to .....unless extended or demand by the Government. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs.....(Rupees.....only) and unless a claim in writing is lodged with us within six months of the date of expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

Dated .....the .....day of .....for  
(Indicate the name of the Bank)

---

**AFFIDAVIT**

*(to be taken by the contractor on a non-judicial stamp before a First Class Magistrate)*

I/we have submitted Bank Guarantee for the work .....(name of work) in letter No.....dated.....from..... (Name of Bank) to the Executive Engineer ..... towards Performance guarantee of security deposit in cash. This Bank guarantee expires on .....I/We undertake to keep the validity of the Bank Guarantee in tact by getting it extended from time to time at my/ our own initiative up to a period of.....months after the recorded date of completion of the work or as directed by the Engineer-in-charge.

I/We also indemnify the government against any losses arising out encashment of the Bank Guarantee, if any:

**Note:** This affidavit is to be given by the executants before a first Class Magistrate.

## **MODIFIED GENERAL CONDITIONS OF CONTRACT CLAUSES**

### **CLAUSE-1. PERFORMANCE GUARANTEE**

i. The contractor shall submit an irrevocable PERFORMANCE GUARANTEE of 5% (Five percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and / or without prejudice to any other provisions in the contract) within period specified in Schedule "F" from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge upto a maximum period as scheduled in Schedule "F" on return request of the contractor stating the reasons for delays in procuring the Bank Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10,000/-) or deposit at call receipt of any Scheduled Bank / Banker's Cheque of any scheduled bank (Demand Draft of any Scheduled Bank / Pay Order of any Scheduled bank in case guarantee amount is less than Rs. 1.00 lakh) or Government Securities of Fixed Deposit Receipt or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government is part of the Performance Guarantee and the Bank is unable to make the payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.

ii) A letter of intent shall be issued in the first instance informing the successful tenderer of the decision of the competent authority to accept his tender and the award of letter shall be issued only after the Performance Guarantee in any of the prescribed form is received. In case of failure of the contractor to furnish the Performance Guarantee within the specified period, Government shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the earnest money absolutely.

iii) The Performance Guarantee shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent Authority, the Performance Guarantee shall be returned to the contractor without any interest.

iv) The Engineer-in-Charge shall not make a claim under the Performance Guarantee except for the amounts to which the President of India is entitled under the contract (not withstanding and / or without prejudice to any other provisions in the contract agreement) in the event of :-

- a) *Failure by the contractor to extent the validity of the Performance Guarantee as described herein above, in which even the Engineer-in-Charge may claim the full amount of the Performance Guarantee.*

b) *Failure by the contractor to pay the Municipal Council any amount due, either as agreed by the contractor or determined under any of the clauses / conditions of the agreement, within 30 days of the service of notice to this effect by the Engineer-in-Charge*

v) In the event of the contract being determined or rescinded under provisions of any of the clause / condition of the agreement, the Performance Guarantee shall stand forfeited in full and shall be absolutely at the disposal of the Municipal Council.

#### **CLAUSE – 1 A RECOVERY OF SECURITY DEPOSIT**

The persons whose tender may be accepted (hereinafter called the contractor) shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 10% of the gross amount of each running bill till the sum along with the sum already deposited as earnest money, will amount to security deposit of 5% of the tendered value of the work. Such deductions will be made and held by the Government by way of Security Deposit unless he / they has / have deposited the amount of Security at the rate mentioned above in cash or in the form of Government securities or fixed deposit receipts. In case a fixed deposit receipts of any Bank is furnished by the Contractor to the Government of part of the security deposit and the bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forth with on demand furnish additional security to the Government to make good the deficit.

All compensations or the other sums of money payable by the contractor under the terms of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit from the interest arising there from or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in the event of his Security Deposit being reduced by reach of any such deductions of sale as aforesaid, the contractor shall within 10 days make good in case or fixed deposit tendered by the State Bank of India or by Scheduled Banks or Government securities (if deposited for more than 12 months) endorsed in favour of the Engineer-in-Charge, any sum of sums which may have been deducted from, or raised by sale of his security deposit or any part thereof. The security deposit shall be collected from the running bills of the contractor at the rates mentioned above and the Earnest Money if deposited in case the time of tenders will be treated a part of the Security Deposit.

**NOTE – 1** Government papers tendered, as security will be taken at 5% (five percent) below its market price or at its face value, whichever is less. The market price of Government paper would be ascertained by the Divisional Officer at the time of collection of interest and the amount of interest to the extent of deficiency in value of the Government paper will be with held if necessary.

**NOTE – 2** Government securities will include all forms of securities mentioned in Rule No. 274 of the G.F. Rules except fidelity bond. This will be subject to the observance of the condition mentioned under the rule against each form of security.

**NOTE – 3** Note 1 and 2 above shall be applicable for both clause 1 & 1 A.

#### **CLAUSE –2 COMPENSATION FOR DELAY**

If the contractor fails to maintain the required progress in terms of clause 5 or to complete the work and clear the site on or before the contract or extended date of completion, he shall, without prejudice to any other right or remedy available under the law to the Government on account of such breach, pay as agreed compensation the amount calculated at the rates stipulated below as Superintending Engineer (whose decision in writing shall be final and binding) may decide on the amount of tendered value of the work for every completed day / month (as applicable) that the progress remains below that specified in Clause 5 or that the work remains incomplete.

This will also apply to items of group of items for which a separate period of completion has been specified.

Compensation : @ 1.5% per month.

For delay of work : of delay to be computed on per day basis.

Provided always that the total amount of compensation for delay to be paid under this condition shall not exceed 10% of the tendered value of the work or to the tendered value of the item or group of items of work for which a separate period of completion is originally given.

The amount of compensation may be adjusted or set-off against any sum payable to the contractor under this or any other contract with the Government. In case, the contractor does not achieve a particular milestone mentioned in Schedule-F, or the re-scheduled milestone(s) in terms of Clause-5.4, the amount shown against that milestone shall be withheld, to be adjusted against the final grant of extension of time, to be decided on completion of work. With holding of this amount on failure to achieve a milestone shall be automatic without an notice to the contractor. However, if the contractor catches up with the progress, work on the subsequent milestone(s) the withheld amount shall be released. In case the contractor fails to make up for the delay in consequent milestone(s) amount mentioned against each milestone missed subsequently also shall be withheld. However, no interest, whatsoever, shall be payable on such withheld amount.

#### **CLAUSE 2-A INCENTIVE FOR EARLY COMPLETION**

~~In case, the contractor completes the work ahead of scheduled completion time, a bonus of 1% (One percent) of the tendered value per month computed on per day basis, shall be payable to the contractor, subject to a maximum limit of 5% (five percent) of the tendered value. The amount of bonus, if payable, shall be paid along with final bill after completion of work.~~

#### **CLAUSE - 3 WHEN CONTRACT TO BE DETERMINED**

vii) If the work is not started by the contractor within 1/8<sup>th</sup> of the stipulated time.

When the contractor has made himself liable for action under any of the case aforesaid, the Engineer-in-Charge on behalf of the President of India shall have powers :

- a) To determine of rescind the contract as aforesaid (of which termination of rescission notice in writing to the contractor under the hand of Engineer-in-Charge shall be conclusive evidence). Upon such determination or rescission, the Earnest Money Deposit already recovered and Performance Guarantee

under the contract shall be liable to be forfeited and shall be absolutely at the disposal of the Government.

- b) Deleted.
- c) After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part thereof as shall be un-executed out of his hands and to give it to another contractor to complete the work. The contractor, whose contract is determined of rescinded as above, shall not be allowed to participate in the tendering progress for the balance work.

In the event of above course(s) being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchases or procured any materials or entered into any engagements or made any advances on account of with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer-in-Charge has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.

### **CLAUSE – 3 A**

In case, the work cannot be started due to reasons not within the control of the contractor within 1/8<sup>th</sup> of the stipulated time for completion of work, either party may close the contract. In such eventuality, the Earnest Money Deposit and the Performance Guarantee of the contractor shall be refunded, but no payment on account of interest, loss of profit or damages etc. shall be payable at all.

### **CLAUSE – 5            TIME AND EXTENSION FOR DELAY**

The time allowed for execution of the works as specified in the schedule “F” or the extended time in accordance with these conditions shall be the essence of the contract. The execution of the work shall commence from the 15<sup>th</sup> day or such time period as mentioned in letter of award after the date on which the Engineer-in-Charge issues written orders to commence the work from the date of handing over of the site whichever is later. If the contractor commits default in commencing the execution of the work as aforesaid, Government shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the Earnest Money and Performance Guarantee absolutely.

5.1 As soon as possible after the contract is concluded the contractor shall submit a time and progress chart for each milestone and get it approved by the Department. The chart shall be prepared in direct relation to the time stated in the contract documents for completion of items of the works. It shall indicate the forecast of the dates of commencement and completion of various trades of sections of the work and may be amended as necessary by agreement between the Engineer-in-Charge and the contractor within the limitations of time imposed in the contract

documents, and further to ensure good progress during the execution of the work; the contractor shall in all cases which the time allowed for any work, exceeds one month (save for special jobs for which a separate programme have been agreed upon) complete the work as per milestones given in Schedule "F".

5.3 Request for rescheduling of milestones and extension of time, to be eligible for consideration, shall be made by the contractor in writing within fourteen days of the happening of the event causing delay on the prescribed form. The contractor may also, if practicable, indicate in such a request the period for which extension is desired.

5.4 In any such case the authority mentioned in Schedule "F" may give a fair and reasonable extension of time and reschedule the milestones for completion of work. Such extension shall be communicated to the contractor by the Engineer-in-Charge in writing, within 3 months of the date of receipt of such request. Non application by the contractor for extension of time shall not be a bar for giving a fair and reasonable extension by the Engineer-in-Charge and this shall be binding on the contractor.

**CLAUSE-7 GROSS WORK TO INTERIM PAYMENT:**

**CLAUSE – 10 B ii) MOBILISATION ADVANCE**

Mobilisation advance not exceeding 10% of tendered value may be given, if requested by the contractor in writing within one month of the order to commence the work. In such a case the contractor shall execute a Bank Guarantee Bond from the scheduled Nationalised Bank as specified by the Engineer-in-Charge for the full amount of such advance is released. Such advance shall be in two or more installments to be determined by the Engineer-in-Charge at his absolute discretion. The first installments of such advance shall be released by the Engineer-in-Charge to the contractor on a request made by the contractor to the Engineer-in-Charge in this behalf. The second and subsequent installments shall be released by the Engineer-in-Charge only after the contractor furnishes a proof of the satisfactory utilisation of the earlier installment to the entire satisfaction of the Engineer-in-Charge.

Mobilisation advance shall be admissible only for works where estimated cost put to tender is Rupees Two Crores and above.

**CLAUSE – 10 B iii) Para – 1**

An advance for plant and machine required for the work and brought to site by the contractor may be given if requested by contractor in writing within month of bringing such plant machinery to site. Such advance shall be given on such plant machinery, which in the opinion of the Engineer-in-Charge will add to the expeditious of work and improve the quality of work. The amount of advance shall be restricted to 5% of tendered value in the case of new plant equipment to be purchased for work the advance shall be restricted to 90% of the price such new plant and equipment paid by the contractor for which the contractor shall produce evidence satisfactory to Engineer-in-Charge. In the case second hand and used plants and equipment, the amount of

advance shall be limited at 50% the depreciated value of plant and equipment as may be decided by the Engineer-in-Charge. Contractor shall, if so required the Engineer-in-Charge, submit the statement of value of such plant and equipment duly approved by a Registered value recognized by the Central Board Direct Taxes under the Board Direct Taxed under the Income Tax Act, 1961. No such advance shall be paid on any plant and equipment of perishable nature as and on any plant and equipment a value less than Rs. 50,000/- seventy five percent of amount of advance shall be paid after the plant and equipment brought to site and balance twenty five percent on successfully commissioning the same.

Leasing of equipments shall be considered at par with purchase of equipment and shall be covered by tripartite agreement with the following :

1. Leasing company, which gives certificate of agreeing to lease equipment to the contractor.
2. Engineer-in-Charge and
3. The contractor.

**CLAUSE – 10 C PAYMENT ON ACCOUNT OF INCREASE IN PRICES / WAGES  
DUE TO STATUTORY ORDER(S)**

If after submission of the tender the price of any material incorporated in the works (not being a material supplied from the Engineer-in-Charge's Store in accordance with Clause 10 thereof) and / or wages of Labour increases as a direct result of the coming into force of any fresh law, or statutory rule or order (but not due to any changes in Sales Tax) and such increase in the price and / or wages prevailing at the time of the last stipulated date of receipt of the tenders including extensions if any for the work and the contractor thereupon necessarily and properly pays in respect of that material (incorporated in works) such increased price and / or in respect of labour engaged on the execution of the work such increased wages, then the amount of the contract shall accordingly be varied and provided further that any such increase shall not be payable if such increase has become operative after the stipulated date of completion of the work in question.

If after submission of the tender, the price of any material incorporated in the works (not being a material supplied from the Engineer-in-Charge's Stores in accordance with Clause-10 thereof) and / or wages of labour is decreased as a direct result of the coming into force of any fresh law of statutory rules or order (but not due to any changes in Sales Tax) and such decrease in the prices and / or wages prevailing at the time of receipt of the tender for the work. Government shall in respect of materials incorporated in the work (not being materials supplied from the Engineer-in-Charge's Stores in accordance with Clause – 10 thereof) and / or labour engaged on the execution of the work after the date of coming into force of such law statutory rule or order be entitled to deduct from the dues of the contractor such amount as shall be equivalent to the difference between the prices of the materials and / or wages as prevailed at the time of the last stipulated date of receipt of tenders including extensions if any for the work and the prices of materials and / or wages of labour on the coming into force of such law, statutory rule of order.

The contractor shall for the purpose of this condition, keep such books of account and other documents as are necessary to show the amount of any increase claimed or reduction available and shall allow inspection of the same by a duly authorized representative of the Government, and further shall, at the request of the Engineer-in-Charge may require any documents so kept and such other information as the Engineer-in-Charge may require.

The contractor shall, within a reasonable time of his becoming aware of any alteration in the price of any such materials and / or wages of labour, give notice thereof to the Engineer-in-Charge stating that the same is given pursuant to this condition together with all information relating thereto which he may be in position to supply.

ANNEXURE TO OM/DGW/CON/199 Dt. 02.09.04

**CLAUSE 10CA PAYMENT DUE TO INCREASE / DECREASE IN PRICES OF CEMENT**

**AND STEEL REINFORCEMENT BARS AFTER RECEIPT OF TENDER**

If after submission of the tender, the price of Cement and /or Steel reinforcement Bars/Bitumen incorporation the works (not being a material supplied from the Engineer-in-charge's stores in accordance with clause 10 thereof) increase and such increase in the price prevailing at the time of the last stipulated date for receipt of tenders including extension. If any for the work, than the amount of the contract shall accordingly be varied and provided further that any such increase shall not be payable if such increase has become operative after the stipulated date of completion of work in question.

If after submission of the tender, the price of Cement and /or Steel reinforcement Bars/Bitumen incorporation the works (not being a material supplied from the Engineer-in-charge's stores in accordance with clause 10 thereof) is decreased, Municipality shall in respect of these materials incorporated in the works (not being materials supplied from the Engineer-in-charge's stores in accordance with clause 10 thereof) be entitled to deduct from the dues of the contractor such amount as shall be equivalent to the difference between the prices of cement and /or steel reinforcement bars/Bitumen as prevailed at the time of last stipulated date for receipt of tenders including extension if any for the work and prices of these materials on the coming into force of such base price of cement and /or steel reinforcement bars/Bitumen issued under authority of the Commissioner Karaikal Municipality.

The increase/decrease in price shall be determined by the All India wholesale prices indices for cement and steel( bars and rods)/Bitumen as published by Economics advisor to government of India. Ministry of Commerce and Industry and base price for cement and or steel reinforcement bars/Bitumen as issued under authority of the Commissioner Karaikal Municipality as valid on the last stipulated date for receipt of tenders including extension if any and for the period under consideration.

The amount of the contract shall accordingly be varied for cement and or steel reinforcement bars/Bitumen and will be worked out as per the formula given below:

(a) Adjustment for the component of "Cement"

$$V_c = \frac{P_c \times Q_c \times C_1 - C_{io}}{C_{io}}$$

Where

V<sub>c</sub>: Variation in cement cost i.e., increase or decrease in the amount in rupees to be paid or recovered.

P<sub>c</sub>: Base price of cement as issued under authority of the commissioner Karaikal Municipality at the time of last stipulated date for receipt of tenders including extension, if any,

Q<sub>c</sub>: Quantity of cement used in the works since; previous bill

C<sub>IO</sub>: All India Whole sale price index for cement as published by the Economics- Adviser to Government of India. Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions ,if any

C<sub>1</sub>: All India Whole sale price index for cement as published by the Economics- Adviser to Government of India. Ministry of Industry and Commerce

(b) Adjustment for the component of "Steel "

$$V_s = P_s \times Q_s \times S_i - S_{io} / S_{io}$$

Where

V<sub>s</sub>: Variation in cost of Steel reinforcement bars i.e., increase or decrease in the amount in rupees to be paid or recovered.

P<sub>s</sub>: Base price of Steel reinforcement bars as issued under authority of the commissioner Karaikal Municipality at the time of last stipulated date for receipt of tenders including extension, if any,

Q<sub>s</sub>: Quantity of Steel reinforcement bars paid either by way of secure advance or used in the works since; previous bill (whichever is earlier)

S<sub>io</sub>: All India Whole sale price index for Steel reinforcement bars for the period under consideration as published by the Economics- Adviser to Government of India. Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions, if any

S<sub>i</sub>: All India Whole sale price index for Steel reinforcement bars for the period under consideration as published by the Economics - Adviser to Government of India. Ministry of Industry and Commerce

(c) Adjustment for the component of "Bitumen "

$$V_b = P_b \times Q_b \times B_i - B_{io} / B_{io}$$

Where

V<sub>b</sub>: Variation in cost of Bitumen i.e., increase or decrease in the amount in rupees to be paid or recovered.

Pb: Base price of Bitumen as issued under authority of the commissioner Karaikal Municipality at the time of last stipulated date for receipt of tenders including extension, if any,

Qb: Quantity of Bitumen paid either by way of secure advance or used in the works since; previous bill (whichever is earlier)

Bio: All India Whole sale price index for Bitumen for grade 80/100 as published by the Economics- Adviser to Government of India. Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions, if any

Bi: All India Whole sale price index for Bitumen for the period under consideration as published by the Economics - Adviser to Government of India. Ministry of Industry and Commerce

#### **PARTIAL AMENDING ISSUED VIDE DGW / CON / 174**

If the prices of materials (not being materials supplied or service rendered at fixed prices by the Department in accordance with clause 10 and 34 there of) and or wages of labours required for execution of the work increase, the contractor shall be compensated for such increase as per provisions detailed below and the amount of the contract shall accordingly be varied, subject to the condition that compensation for escalation in prices shall be available only for the work done during the stipulated period of the contract. No escalation shall be paid for work executed in extended contract period even if extension of time is granted without any action under clause 2 and also no such compensation shall be payable for a work for which the stipulated period of completion is as specifird in schedule-F such compensation...

In the event..... Mutandis apply, provided that;

No such adjustments for the decrease in the price of materials and or wages of labour aforementioned would be made in case of contracts in which the stipulated period of completion of the work as specified in schedule-F.

Provided always that the provision of the clause 10C and 10CA shall not be applicable for contracts where provisions of this clause are applicable but in cases where provisions of this clause are not applicable, the provisions of clause 10C and 10CA will become applicable.

#### **CLAUSE – 10 CC PAYMENT DUE TO INCREASE / DECREASE IN PRICES / WAGES AFTER RECEIPT OF TENDER FOR WORKS (TIME PERIOD MORE THAN 18 MONTHS)**

If the prices of materials (not being materials supplied or services rendered at fixed prices by the Department in accordance with Clauses 10 & 34 thereof) and / or wages of labour required for execution of the work increase, the contractor shall be compensated for such increase as per provisions detailed below and the amount of the contract shall accordingly be varied, subject to the condition that such compensation for escalation in prices shall be available only for the work done during the stipulated period of the contract. No escalation shall be paid for work executed in

extended contract period even if extension of time is granted without any action under Clause 2 and also no such compensation shall be payable for a work for which the stipulated period of completion is 18 months or less. Such compensation for escalation in the prices of the materials and labour, when due, shall be worked out based on the following provisions:

#### **MI**

All India whole price index for civil component / electrical component appropriable component be kept by NIT approving authority construction material as worked out on the basis of All India wholesale price Index for Individual commodities group items for the period under consideration as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce and applying weightages to the individual commodities / group items.

#### **MIO**

All India whole price index for civil component / electrical component appropriable component be kept by NIT approving authority construction material as worked out on the basis of All India wholesale price Index for Individual commodities group items valid on the last stipulated date of receipt of tender including extension, if any as published by the Economic Adviser to Government of India, Ministry of Industry and Commerce and applying weightages to the individual commodities / group items.

Clause 10CC Para VIII (a) and (ix) modified.

Clause 12 page 31 Para 12.1.1 - Now remembered as 12.1

Clause 12 page 31, 32, 33 Para 12.12 deleted

Clause 12.2 page 32, 33 Deviation, Extra Items and pricing Amended / Now introduced.

In the case of extra item(s) the contractor may within 15 days of receipt of order of occurrence of the item(s) claim rates. Supported by proper analysis for the work and the Engineer-in-Charge shall within one month of the receipt of the claims supported by analysis after giving consideration to the analysis of rates submitted by the contractor determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined. Clause 12.2 page 32, 33 Deviation, Substituted Items, pricing – Amended / Now introduced.

In the case of substituted items the rate for the agreement item (to be substituted) and substituted items shall also be determined in the manner as mentioned in the aforesaid Para.

- a) If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted) the rate payable to the contractor for the substituted item shall be rate of the agreement item (to be substituted) so increased to the extent of the difference between market rates of substituted item and agreement item (to be substituted).
- b) If the market rate for the substituted item so determined is less than market rate of the agreement item to be substituted the “rate payable to the contractor for the substituted item shall” be the rate for the agreement item (to be substituted) so decreased to extent of the difference between the market rates of substituted item and the agreement item (to be substituted).

**CLAUSE- 11 SPECIFICATION TO BE FOLLOWED FOR EXECUTION OF WORK**

**CLAUSE 12.2 PAGE 32, 33 DEVIATION, DEVIATED QUANTITIES PRICING  
AMENDED / NOW INTRODUCED**

In the case of contract items, substituted items, contract cum substituted items which exceed the limits laid down by Schedule F, the contractor may within 15 days of receipt of order or occurrence of the excess claim revision of the rates supported by proper analysis for the work in excess of the above mentioned limits provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis after giving consideration to the analysis of the rate substituted by the contractor determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

**CLAUSE 12.3 PAGE 33 AMENDED / NOW INTRODUCED**

The provisions of the proceeding paragraph shall also apply to the decrease in the rates of items for the work in excess of the limits laid down in Schedule "F", and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within 15 days of receipt of the notice, revise the rates for the work in question within one month of the expire of the said period of 15 days having regard to the market rates.

**CLAUSE 12.5 PAGE 33 AMENDED / NOW INTRODUCED**

For the purpose of operation of Schedule F the following works shall be treated as works relating to foundation.

i) For buildings, compound walls plinth or 1.2 metres (4-feet) above ground level which ever is lower excluding items of flooring and D.P.C. but including base concrete below the floors.

(ii) For abutments, piers, retaining walls of culverts and bridges, walls of water reservoirs the bed of floor level.

(iii) For retaining wall were floor level is not determinate 1.2 metres above the average ground level or bed level.

(iv) For roads all items of excavation and filling including treatment of sub base.

**CLAUSE - 17 Enhanced maintenance period**

If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may working or any building road, road curb, fence, enclosure, water pipe, cables, drains electric or telephone post or wires, trees, grass or grassland or cultivated ground contiguous to the premises on which the work or any part is being executed or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work with twelve months (5 months in case of any work other than road costing Rs 10,00,000 and below) after a certificate final or otherwise of its



Of tender and Performance Guarantee shall be absolutely forfeited to the President of India and the same may at the Schedule "F" Page 93.

- i) Earnest Money : **Rs. 27,050/-**
- ii) Performance Guarantee : 5% of tendered value.
- iii) Security Deposit : 5% of tendered value.

**SCHEDULE – F CLAUSE – 5**

**MILESTONE (S)**

**As per table given below**

**TABLE FOR MILESTONE (S)**

| Sl. No. | Description of Milestone (Physical) | Time allowed in days (from date of start) | Amount to be withheld in case of non-achievement of milestone |
|---------|-------------------------------------|---|---|
| 1.      |                                     |   |   |
| 2.      |                                     |   |   |

Or

| Sl. No. | Financial Progress                    | Time allowed in days (from date of start) | Amount to be withheld in case of non-achievement of milestone   |
|---------|---------------------------------------|---|---|
| 1.      | 1/8 <sup>th</sup> (of the whole work) | 1/4 <sup>th</sup> (of the whole work)     | In the event of not achieving the necessary progress as assessed from the running payments 1% of the tendered value of work will be withheld for failure of each milestone. |
| 2.      | 3/8 <sup>th</sup> (of the whole work) | ½ (of the whole work)                     |   |
| 3.      | 3/4 <sup>th</sup> (of the whole work) | 3/4 <sup>th</sup> (of the whole work)     |   |
| 4.      | Full                                  | Full                                      |   |